




"Customers are the most important visitors on our premises. They are not dependent on us, we are dependent on them. They are not an interruption in our work, they are the purpose of it. They are not an outsider in our business, they are the part of it. We are not doing them the favor by serving them, they are doing us a favor by giving us the opportunity to do so."



STONE UNIVERSE INC. NATURAL STONE

www.suistone.com

West Catalog
Volume - 23





Committed to YOU ALWAYS

Serving the greater part of The United States and Canada



East



Midwest



Northwest



South (Texas)



West



Colorado



Porcelain Paver

LOCATIONS

Stone Universe (Corporate Headquarters)
2333 Grant Avenue,
San Lorenzo, CA 94580
United States

Stone Universe (Wisconsin)
W249 N6916 State Road 164,
Sussex, WI 53089
United States

Stone Universe (South)
2800 N Alexander Dr,
Baytown, TX 77520
United States

Stone Universe (Northwest)
5315 Milwaukee,
Ave E, Puyallup
WA 98372
United States

Stone Universe (East)
7521 Lake Drive, Rosedale
Baltimore, MD 21237
United States

Stone Universe (Southwest)
12102 Centralia Street
Hawaiian Gardens
CA 90716
United States



ABOUT STONE UNIVERSE

Stone Universe Inc. is one of the biggest natural stone wholesalers in the United States. Our journey began in 1999 as a wholesale distributor of natural stones in Gilroy, California. Shortly began the expansion of natural stone products with a focus on hardscaping. Our motive is to fetch the people with a product range where quality speaks for itself & rates are highly affordable. We at Stone Universe Inc believe in continuous expansion and innovation of our product line.

We offer a wide range of products - pool coping, column caps, wall caps, pavers patterns in different sizes and finish, treads, driveway pavers, cobblestone, flagstone, ledge stones, slabs, etc. which is ideal for indoor and outdoor applications for both residential and commercial applications.

With 6 distribution centers in North California, South California, Washington, Maryland, Texas, Wisconsin, we carry trend-setting range of Natural Stone from India, Vietnam & other various countries, Porcelain Paver from Spain and Travertine collection from Turkey.



Why Natural Stones?	05	Ebony Black	22
DISCLAIMER	06	Autumn Mist	23-24
NEW LAUNCH	07 - 08	Antique Brown	25-26
BASALT	09 - 10	Dusty Wave	27
QUARTZITE	11 - 12	Vintage White	28
Antique Gold	12	Brown Mist	29-30
SLATE	13 - 15	LIMESTONE	31- 40
California Gold	14-15	Antique Black	33-34
SLATE QUARTZITE MIX	16	Indian Bluestone	35-36
Silver Pearl	16	Lime Black	37-38
SANDSTONE	17 - 30	French Vanilla	39-40
Grey Mist	19-21	TRAVERTINE	41-44
Grey Mist Blend	21	Antique Ivory	42
		Antique Gris	43



Antique Scabos	44	Stepping Stone	57
PRODUCTS	45-63	Pebbles	57
Ledge Stone	45-46	Cobblestone	58
Slab	47	Driveway Pavers	58
Window Sill	47	Rock Face Jumbo Pattern	59-60
Steps	48	Rock Face Random Pattern	60
Flagstone	49-50	Treads	61
Bullnose	51	Tiles	62
Eased Edge	52	Versailles Pattern	62
Column Cap	53	Paver Jumbo Pattern	63
Wall Cap	54	Paver Random Pattern	64
Thin Veneer	55-56	DISPLAY RACKS	64
Bricks	56	PACKING CHART	65 - 66



Why Natural Stones?

ENDURANCE

Natural stones are one of the oldest building materials in existence. The use of natural stones can be traced back to the great pyramids of Egypt, the streets of ancient Rome, architectural buildings like the Colosseum, etc. With regular maintenance and care, natural stones have the potential to last literally for decades.

UNIQUENESS

Natural stone encompasses a wide variety of materials like Limestone, Sandstone, Slate, etc. each with its own unique properties, color and texture. The presence of impurities gives inimitable color variation in every piece of stone with a rich textured appearance. Every piece of stone is unique yet maintains a comprehensive overall appearance.

AGING

One advantage of using natural stone is the character of the natural stone changes with age as the stone wears, fades and matures. The weathering effect that occurs with years of use is often considered attractive. Weathering can also be prevented by periodic application of stone sealers on a regular basis.

ECO-FRIENDLY

Natural Stone is an organic product quarried from the earth and is available in abundance. Natural stone does not contain any harmful chemicals and ensures a safer environment. Further, natural stones can be salvaged, reused, and recycled.

EASE OF MAINTENANCE

With the use of recommended cleaners and sealing the stone on a regular basis, makes it relatively easy to clean. With little care and precautions, the natural beauty of the stone can be preserved.

The above-mentioned advantages of natural stone make it a popular choice of material for construction and architectural purposes.

DISCLAIMER




Variations in color, texture, veining, clefting, etc. is an aspect of natural stones & should not be considered as flaws. Natural Stones are composed of minerals which makes it susceptible to various chemicals & harsh environments. Exposure to elements like sun, rain, snow, etc. over a period of time can affect the look of natural stones. Some of the most common effects include oxidation (or rusting), flaking, weathering, etc. We strongly discourage the use of acidic cleaners and suggest seeking professional help if necessary. It is recommended to seal natural stones periodically to reduce environmental effects.

All our products have dimensional tolerances which are an industry standard. Further, we recommend using the standard installation process and sealers recommended by the American National Standards Institute(ANSI) for natural stones as the processes vary from installer to installer. It is extremely significant to inspect the material before fabrication or installation as we do not take any liability once the product is altered or installed.

NATURAL STONE
DISCLAIMER


PORCELAIN PAVERS (24"x24"x¾"±)



PORCELAIN BULLNOSE (12"x24"x¾"±)



THIN VENEER BRICKS (7.5"x2.25"x¾"±)



PEBBLES (1"-3"±)



NATURAL STONE FIREPIT



SMALL SIZE
Height - 13"±
Inner size - 24"±
Outer size - 42"±



BIG SIZE
Height - 17"±
Inner size - 32"±
Outer size - 56"±

IRREGULAR COPING (1.5"±)



BASALT FOUNTAIN



Product available : rock face jumbo pattern

Products available : rock face jumbo pattern, flagstone

Products available : eased edge, versailles pattern

Basalt is an igneous, volcanic rock that is produced by hardened lava. Basalt is mafic, which means it contains minerals with significant iron and magnesium. Other minerals making up basalt include pyroxene, plagioclase feldspar, amphibole, and olivine.

Basalt historically was used in street pavers & stadium seating in ancient Rome. Today, basalt finds its use in several industrial applications, including building materials and thermal insulators. They are used as aggregates to increase the strength of concrete, asphalt paving and rock filtering, agents. Additionally, they are used as wall panels, countertops, and fireplaces among others due to high abrasion resistance & compressive strength. They are also great as interior decoration & decorative stone. The insulating property is one notable characteristic basalt, its insulation value is three times more than asbestos without any toxic hazards. High tensile strength, vibration resistance, and durability make it an ideal choice for hardscaping.



Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆☆

TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	14"x24"x2"±
COBBLESTONES	3½"x3½"x3½"±
	3½"x3½"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (sandbase)	16"-30"x1¼"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
SLAB (4 sides saw cut)	72"x27"x2"±
STEP (3 sides rock face & 1 long side saw cut)	48"x16"x6"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	60"x16"x2"±
WALL CAP (4 sides rock face)	14"x24"x2"±

PAVER JUMBO PATTERN 1¼"±

(4 sides saw cut)

12"x12"x1¼"±

12"x24"x1¼"±

24"x24"x1¼"±

24"x36"x1¼"±



ROCK FACE JUMBO PATTERN 1¼"±

(4 sides rock face)

12"x12"x1¼"±

12"x24"x1¼"±

24"x24"x1¼"±

24"x36"x1¼"±



SLAB (4 sides saw cut)

72"x27"x2"±



TREADS (3 sides eased edge & 1 long side rock face)

48"x12"x2"±

60"x16"x2"±



FLAGSTONE (sandbase)

16"-30"x1¼"±



COBBLESTONES

3½"x3½"x3½"±

3½"x3½"x2"±



STEP (3 sides rock face & 1 long side saw cut)

48"x16"x6"±



BULLNOSE (1 long side bullnose)

14"x24"x2"±



EASED EDGE

(1 long side eased edge)

14"x24"x2"±



WALL CAP (4 sides rock face)

14"x24"x2"±



* Special order only.

Quartzite is a hard, non-foliated metamorphic rock formed from pure quartz sandstone. Sandstone is converted into quartzite due to heat and pressure of tectonic compression of the earth's crust. Pure quartzite is usually white to grey, though quartzites often occur in various shades of pink and red due to the presence of iron oxide in varying amounts. Mineral impurities change the color of stone to yellow, green, blue and orange etc.

Quartzite is extremely durable and makes it suitable for use in most demanding applications. Quartzite is harder than granite & marble, it stands up better to abrasion in stair treads, floor tiles, and countertops. It is also more resistant to most chemicals and environmental conditions. The glossy surface and the color variation makes it a suitable choice for decorative and landscaping purposes. It is most commonly used in indoor flooring, countertops and fireplace surround.

Antique gold is tumbled quartzite showcasing a blend of shimmering colors like gold, pink, brown, turquoise, etc. to form unique random patterns within the project while maintaining a comprehensive overall appearance. The high comprehensive strength of quartzite makes it suitable for a wide range of applications.

Finish : Tumbled finish, edges are saw-cut or smooth edges.

Color Variation : ★★★★★

TYPE	Size in Inches (Approx.)
PAVER VERSAILLES PATTERN (4 sides saw cut)*	1" ±
FLAGSTONE (concrete base)	1" ±
FLAGSTONE (sand base)	2" ±

*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing 1/4" ± under

FLAGSTONE

1" ± (concrete base)

2" ± (sand base)



PAVER VERSAILLES PATTERN 1" ± (4 sides saw cut)

(Sold in 16 sq.ft increments)



16 sq.ft - Pattern Includes

8"x8" 4 pieces

8"x16" 2 pieces

16"x16" 4 pieces

16"x24" 2 pieces




Slate is a fine-grained, foliated, homogeneous metamorphic rock obtained from a sedimentary rock of type shale (composed of clay or volcanic ash) under relatively low pressure and temperature conditions. Foliation refers to repetitive layering in metamorphic rocks. Slate is characterized by fine foliation along which it breaks to leave smooth, flat surfaces. The color of a slate is determined by its mineral composition. Slates usually range from shades of light to dark grey in color.

Slate is widely used for external flooring, internal flooring, and cladding. Slate floors are commonly laid in outdoor porches, basements, bathrooms, and kitchens. Internal slate floors are durable, versatile and elegant. The natural variation of slate allows homeowners and interior decorators to create unique, one-of-a-kind environments. Slate floors are durable, nonporous, and require little maintenance. Due to foliation, when the slate is chiseled, it creates a distinctive elegant look compared to other natural and artificial stones which makes it a popular choice for wall caps and column caps.

Disclaimer :

Water can seep in between layers of slate. In weather conditions where water is subjected to freeze/thaw, due to thermal expansion, the compressed layers begin to split and deteriorate. Not all slates are Freeze/Thaw resistant, so it's highly recommended to seal your product.



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/2" ± 14"x24"x2" ±
COLUMN CAP (4 sides rock face)	24"x24"x2" ± 29"x29"x2" ±
FLAGSTONE (concrete base)	1" ±
FLAGSTONE (sand base)	2" ±
LEDGE STONE-PANEL	6"x24"x3/4" ±
LEDGE STONE-CORNER	6"x18"x6"x3/4" ± 8"x8"x1 1/4" ±
PAVER (4 sides saw cut)	8"x16"x1 1/4" ± 16"x16"x1 1/4" ± 16"x24"x1 1/4" ±
PAVER VERSAILLES PATTERN* (4 sides saw cut)	1/2" ±
PAVER VERSAILLES PATTERN* (4 sides saw cut)	1 1/4" ±
PAVER RANDOM PATTERN (4 sides saw cut)	12"x12"x1 1/4" ± 12"x24"x1 1/4" ± 24"x24"x1 1/4" ± 12"x12"x3/4" ± 16"x16"x3/4" ± 12"x24"x3/4" ± 24"x24"x3/4" ±
TILE (4 sides saw cut)	12"x24"x1 1/2" ±
WALL CAP (4 sides rock face)	12"x24"x1 1/2" ±
*VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing 1/8" ± under	

California gold is a tumbled slate that depicts a dynamic range of colors from gold, rust, browns, greys, etc. which creates mesmerizing and stunning interior and exterior surfaces. The robust coloring makes room for inexhaustible design ideas.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

*Disclaimer : California Gold is not recommended for installation around or near pool, spas, and hot tubs.

BULLNOSE (1 long side bullnose)

12"x24"x1 1/2" ±

14"x24"x2" ±



LEDGE STONE (Non-Cement Backing)



Corner - 6"x18"x6"x3/4" ±

Panel - 6"x24"x3/4" ±



Sandstone is one of the most common types of sedimentary rock and is made up of three components - sediment particles, matrix, and cement. The sediment particles are pieces of minerals and fragments of rock. Matrix is a fine material that is present between the sediment and cement is the secondary mineral that binds the sediment to rock.

Sandstone displays a lot of character, depending on the mix of matrix and cement, it portrays a wide range of colors from white to black, with gray, brown, red, pink and buff in between. It is durable and versatile, which makes it an ideal choice for indoors and outdoors. Sandstones are used in indoor settings such as flooring, kitchen countertops & backsplashes. Because of its natural ability to regulate heat, sandstone makes for excellent paving, especially for pool sides. It's naturally non-slip, stays cool under foot in the summer and radiates heat in the winter. It can be used to build outdoor ovens, fireplaces, patios or porches, retaining walls and walkways.

Disclaimer :
The hardness of sandstone varies depending on the binding material (cement). If the sediment particles are cemented by calcite, the sandstone will seem softer.

ANTIQUE BROWN

DUSTY WAVE

EBONY BLACK

GREY MIST

AUTUMN MIST

VINTAGE WHITE

BROWN MIST

GREY MIST BLEND



LEDGE STONE (Non-Cement Backing)

Corner - 6"x18"x6"x3/4"±



Panel - 6"x24"x3/4"±



WINDOW SILL (1 long side rock face)

24"x3"x2"±



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/4"± 14"x24"x2"± 24"x24"x1 1/4"± 22"x22"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"± 26"x26"x2"± 29"x29"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
LEDGE STONE-PANEL	6"x24"x3/4"±
LEDGE STONE-CORNER	6"x18"x6"x3/4"± 12"x12"x1 1/4"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x24"x1 1/4"± 24"x24"x1 1/4"± 24"x36"x1 1/4"± 12"x12"x1 1/4"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x24"x1 1/4"± 24"x24"x1 1/4"± 24"x36"x1 1/4"±
SLAB (4 sides rock face)	72"x36"x2"±
STEP (4 sides rock face)	48"x16"x6"±
STEPPING STONE -IRREGULAR	15"-18"x1"-1 1/4"± 48"x12"x2"±
TREADS (3 sides Rock Face & 1 long side saw cut)	60"x16"x2"± 60"x20"x2"± 72"x18"x2"±
WALL CAP (4 sides rock face)	12"x24"x1 1/4"± 14"x24"x2"±
WINDOW SILL (1 long side rock face)	24"x3"x2"±

Grey mist features a pallet of mellow to dark greys combined with occasional splashes of rust. Rust spots are general characteristics of the stone. Fairly consistent grey sandstone can blend into a wide range of color schemes creating contemporary and modern designs.

Finish : Natural finish, edges are saw-cut, bullnose, eased-edge chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

*Disclaimer : Grey mist sandstone is rich in iron content, which over time has the potential to discolor because of oxidation (or rusting).

PAVER JUMBO PATTERN 1 1/4"±

(4 sides saw cut)

12"x12"x1 1/4"±
12"x24"x1 1/4"±
24"x24"x1 1/4"±
24"x36"x1 1/4"±



ROCK FACE JUMBO PATTERN 1 1/4"±

(4 sides rock face)

12"x12"x1 1/4"±
12"x24"x1 1/4"±
24"x24"x1 1/4"±
24"x36"x1 1/4"±



FLAGSTONE

1"± (concrete base)
2"± (sand base)



STEP

(4 sides rock face)
48"x16"x6"±



STEPPING STONE

(irregular)
15"-18"x1"-1 1/4"±



SLAB

(4 sides rock face)
72"x36"x2"±



TREADS

(3 sides rock face & 1 long side saw cut)
48"x12"x2"±
60"x16"x2"±
60"x20"x2"±
72"x18"x2"±



SUI GREY MIST

BULLNOSE (1 long side bullnose)

12"x24"x1½"±
14"x24"x2"±



COLUMN CAP (4 sides rock face)

24"x24"x1¼"±
22"x22"x2"±
24"x24"x2"±
26"x26"x2"±
29"x29"x2"±



EASED EDGE (1 long side eased edge)

14"x24"x2"±



WALL CAP (4 sides rock face)

12"x24"x1¼"±
14"x24"x2"±



SUI GREY MIST BLEND

THIN VENEER (Ledge) 1"±



THIN VENEER (Antique Castle) 1"±



THIN VENEER (Ashlar) 1"±



TYPE	Size in inches (Approx.)
Thin Veneer - Ledge (Flat & Corner)	1"±
Thin Veneer - Ashlar (Flat & Corner)	1"±
Thin Veneer - Antique Castle (Flat & Corner)	1"±

EBONY BLACK SUI

Ebony Black sandstone displays medium to dark shades of gray and beige and can be used to create intriguing designs.

Finish : Natural finish, Edges are saw-cut, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★☆

TYPE	SIZE IN INCHES (Approx.)
COBBLESTONES	3½"x3½"x3½"±
FLAGSTONE (Concrete Base)	3½"x3½"x2"±
FLAGSTONE (Sand Base)	1"±
PAVER JUMBO PATTERN (4 sides saw cut)	2"±
TREADS	12"x12"x1¼"±
(3 sides rock face & 1 long side saw cut)	12"x24"x1¼"±
WALL CAP (4 sides rock face)	24"x24"x1¼"±
	24"x36"x1¼"±
	48"x12"x2"±
	60"x16"x2"±
	14"x24"x2"±



COBBLESTONES

3½"x3½"x3½"±
3½"x3½"x2"±



WALL CAP (4 sides rock face)

14"x24"x2"±



TREADS (3 sides Rock Face & 1 long side saw cut)

48"x12"x2"±
60"x16"x2"±



PAVER JUMBO PATTERN 1¼"±

(4 sides saw cut)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



* Special order only.

A beige-brown colored sandstone characterized by beautiful, unique fern-like fossil patterns, brown swirls throughout the surface.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

*Disclaimer : Autumn Mist is not recommended for installation around or near pools, spas and hot tubs.

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x1½"± 24"x24"x2"± 29"x29"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
LEDGE STONE - PANEL	6"x24"x¾"±
LEDGE STONE - CORNER	6"x18"x6"x¾"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x12"x1½"± 12"x24"x1½"± 24"x24"x1½"± 24"x36"x1½"± 12"x12"x1¼"± 12"x24"x1¼"± 24"x24"x1¼"± 24"x36"x1¼"± 12"x12"x1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x24"x1½"± 24"x24"x1½"± 24"x36"x1½"± 72"x36"x2"±
SLAB (4 sides rock face)	48"x16"x6"±
STEP (4 sides rock face)	15"-18"x1"-1¼"±
STEPPING STONE - IRREGULAR	1"±
THIN VENEER LEDGE - FLAT	1"±
THIN VENEER LEDGE - CORNER	1"±
TREADS (3 sides rock face & 1 long side saw cut)	60"x16"x2"± 72"x18"x2"±
WALL CAP (4 sides rock face)	12"x24"x1½"± 14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±

THIN VENEER (Ledge) 1"±



PAVER JUMBO PATTERN 1¼"±

(4 sides saw cut)

12"x12"x1½"±
12"x24"x1½"±
24"x24"x1½"±
24"x36"x1½"±



ROCK FACE JUMBO PATTERN 1½"±

(4 sides rock face)

12"x12"x1½"±
12"x24"x1½"±
24"x24"x1½"±
24"x36"x1½"±



LEDGE STONE (Non-Cement Backing)

Corner - 6"x18"x6"x¾"±

Panel - 6"x24"x¾"±



STEP

(4 sides rock face)

48"x16"x6"±



STEPPING STONE

(irregular)

15"-18"x1"-1¼"±



SLAB

(4 sides rock face)

72"x36"x2"±



WINDOW SILL

(1 long side rock face)

24"x3"x2"±



COLUMN CAP

(4 sides rock face)

24"x24"x1½"±
24"x24"x2"±
29"x29"x2"±



WALL CAP

(4 sides rock face)

12"x24"x1½"±
14"x24"x2"±



FLAGSTONE

1"± (Concrete Base)

2"± (Sand Base)



TREADS (3 sides rock face & 1 long side saw cut)

60"x16"x2"±

72"x18"x2"±





BULLNOSE (1 long side bullnose)
14" x 24" x 2"±



EASED EDGE (1 long side eased edge)
14" x 24" x 2"±



Antique brown sandstone is a simple blend of buff, light & dark browns. This earthy tone accompanied by the ability to blend in with other colors makes it a versatile option for creating design patterns.

Finish: natural finish, edges are saw cut, bullnose, chiseled edges or a mixture depending on the product.

Color variation: ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	14"x24"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x1¼"±
DRIVEWAY PAVERS (rock face)	6"x6"x1½"± 6"x9"x1½"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER (4 sides saw cut)	16"x24"x1¼"±
PAVER VERSAILLES PATTERN (4 sides saw cut)	1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1¼"± 12"x24"x1¼"± 24"x24"x1¼"± 24"x36"x1¼"±
STEPPING STONE - HEART	15"x18"x1¼"±
STEPPING STONE - ROUND	18"x18"x1¼"±
STEPPING STONE - IRREGULAR	15"-18"x1"-1¼"±
WALL CAP (4 sides rock face)	12"x24"x1¼"± 16"x24"x2"±

*PAVER VERSAILLES PATTERN sizes include 8" x 8", 8" x 16", 16" x 16", 16" x 24"

COLUMN CAP
(4 sides rock face)
24"x24"x1¼"±, 24"x24"x2"±



WALL CAP
(4 sides rock face)
12"x24"x1¼"±, 16"x24"x2"±



ROCK FACE JUMBO PATTERN 1¼"±
(4 sides rock face)
12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



PAVER VERSAILLES PATTERN 1¼"±
(4 sides saw cut)
Also available in loose:
16"x24"x1¼"±



DRIVEWAY PAVERS (rock face)
6"x6"x1½"±
6"x9"x1½"±



FLAGSTONE
1"± (Concrete Base)
2"± (Sand Base)



STEPPING STONES



(HEART) 15"x18"x1¼"±



(ROUND) 18"x18"x1¼"±



(IRREGULAR) 15"-18"x1"-1¼"±



DUSTY WAVE

Dusty wave is a light cream, beige-colored sandstone invigorating with rippled marking suggestive of desert waves. The light sandstone with darker orange to brown waves can create a refreshing look for any surface.

Finish : Natural finish. Edges are chiseled edges.

Color Variation : ★★★★★☆


STEP (4 sides rock face)

48"x16"x6"±



ROCK FACE JUMBO PATTERN 1 1/4"± (4 sides rock face)

12"x12"x1 1/4"±
12"x24"x1 1/4"±
24"x24"x1 1/4"±
24"x36"x1 1/4"±



WALL CAP (4 sides rock face)

12"x24"x1 1/4"±



TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x1 1/4"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
	24"x36"x1 1/4"±
STEP (4 Sides rock face)	48"x16"x6"±
WALL CAP (4 sides rock face)	12"x24"x1 1/4"±



COLUMN CAP (4 sides rock face)

24"x24"x1 1/4"±



Vintage White sandstone features a blend of ivory and cream tones which offers a unique blend of colors throughout, providing a stunning finish to any surroundings. The light tones will brighten up the environment while blending well with darker and bolder colors to create a sense of space.

Finish : Thermal Finish edges are saw-cut or chiseled depending on the product.

Color Variation : ★★☆☆☆☆

BULLNOSE (1 long side bullnose)

12"x24"x1 1/4"±



EASED EDGE (1 long side eased edge)

14"x24"x2"±



COLUMN CAP (4 sides rock face)

24"x24"x1 1/4"±

24"x24"x2"±



VINTAGE WHITE



TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/4"±
COLUMN CAP (4 sides rock face)	24"x24"x1 1/4"±
	24"x24"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
	24"x36"x1 1/4"±
WALL CAP (4 sides rock face)	12"x24"x1 1/4"±
	14"x24"x2"±



ROCK FACE JUMBO PATTERN 1 1/4"± (4 sides rock face)

12"x12"x1 1/4"±
12"x24"x1 1/4"±
24"x24"x1 1/4"±
24"x36"x1 1/4"±



WALL CAP (4 sides rock face)

12"x24"x1 1/4"±

14"x24"x2"±





TYPE	Size in Inches (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x1 1/4"±
FLAGSTONE (Concrete Base)	1"±
ROCK FACE RANDOM PATTERN (4 sides rock face)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
SLAB (4 sides rock face)	72"x36"x2"±
STEP (4 sides rock face)	48"x16"x6"±
TREAD (3 sides Rock Face & 1 long side saw cut)	60"x16"x2"±
WALL CAP (4 sides rock face)	12"x24"x1 1/4"±
	14"x24"x2"±
WINDOW SILL (1 long side rock face)	24"x3"x2"±

COLUMN CAP (4 sides rock face)
24"x24"x1 1/4"±



This beige sandstone display a multi verse of dark brown and golden yellow ripped markings and veins throughout the surface.

Finish: sawn finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color variation: ★★☆☆☆

FLAGSTONE
1"± (concrete base)



ROCK FACE RANDOM PATTERN 1 1/4"±

(4 sides rock face)

12"x12"x1 1/4"±

12"x24"x1 1/4"±

24"x24"x1 1/4"±



SLAB (4 sides rock face)

72"x36"x2"±



STEP

(4 sides rock face)

48"x16"x6"±



WALL CAP

(4 sides rock face)

12"x24"x1 1/4"±, 14"x24"x2"±



WINDOW SILL (1 long side rock face)

24"x3"x2"±



TREAD (3 sides rock face & 1 long side saw cut)

60"x16"x2"±



Limestone is a sedimentary rock composed primarily of calcium carbonate in the form of the mineral called calcite. It can contain considerable amounts of magnesium carbonate along with clay, iron carbonate, feldspar, pyrite, and quartz in small amounts.

Limestone is known as a heavy, hard-wearing stone with a lightly textured surface which makes it an excellent material for patios. It's a very dense and durable stone and its use in architecture can be traced back to the pyramids of Egypt. There are hundreds of types of limestone available in different colors, textures, and varying degrees of permeability making it aesthetically versatile. Limestones are extremely versatile as you can use them in a vast range of outdoor areas including patios, pathways, courtyards, verandas, poolside and stepping stones. Some types are better suited for flat exterior surfaces than others. Furthermore, it has a naturally non-slip surface making it perfectly safe for areas that might get wet such as around pools, hot tubs, and ponds.

Disclaimer :

Efflorescence is a crystalline deposit of salts created when water is present especially on limestones. Efflorescence diminishes the color and brightness of the surface giving a false notion that the stone has begun to fade when these deposits overshadow their original hue and shade.

LIME BLACK

INDIAN BLUESTONE

FRENCH VANILLA

ANTIQUE BLACK



Antique Black consists of a blend of black and charcoal tones. The surface is tumbled to get a smooth, chalky antique look, which will dramatically change the ambience of your project.

Finish : Tumbled finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

*Disclaimer : Antique black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
	24"x24"x1½"±
	22"x22"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
	29"x29"x2"±
	14"x24"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
DRIVEWAY PAVERS (rock face)	6"x6"x1½"±
	6"x9"x1½"±
	8"x4"x2"±
DRIVEWAY PAVERS (saw cut)	6"x6"x2"±
	6"x9"x2"±
	8"x4"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
STEPPING STONE - HEART	15"x18"x1¼"±
STEPPING STONE - ROUND	18"x18"x1¼"±
STEPPING STONE - IRREGULAR	15"-18"x1"-1¼"±
TILE (4 sides saw cut)	12"x24"x¾"±
WALL CAP (4 sides rock face)	12"x24"x2"±
WINDOW SILL (1 long side rock face)	24"x3"x2"±

FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



BULLNOSE (1 long side bullnose)

12"x24"x1½"±
14"x24"x2"±




EASED EDGE (1 long side eased edge)

14"x24"x2"±



PAVER JUMBO PATTERN 1¼"± (4 sides saw cut)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



ROCK FACE JUMBO PATTERN 1¼"± (4 sides rock face)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



COLUMN CAP (4 sides rock face)

24"x24"x1¼"±
22"x22"x2"±
24"x24"x2"±
26"x26"x2"±
29"x29"x2"±



WALL CAP (4 sides Rock Face)

12"x24"x1¼"±
16"x24"x2"±



DRIVEWAY PAVERS

(Rock Face)

6"x6"x1½"±, 6"x9"x1½"±,
8"x4"x2"±



(Saw Cut)

6"x6"x2"±, 6"x9"x2"±



WINDOW SILL (1 long side rock face)

24"x3"x2"±




STEPPING STONES



TILE (4 sides saw cut)

12"x24"x¾"±



* Special order only.



Indian Bluestone comprises darker tones of blues and greys. Similar to other limestones, the surface is relatively smooth and flat with fewer ridges making it suitable for a variety of applications, including interiors and exteriors.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

FLAGSTONE

1"± (Concrete Base)

2"± (Sand Base)



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
	24"x24"x1½"±
COLUMN CAP (4 sides rock face)	22"x22"x2"±
	24"x24"x2"±
	26"x26"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
VERSAILLES PATTERN (4 sides saw cut)	¾"±
Also available in loose size: 8" x 8", 8" x 16", 16" x 16", 16" x 24"	
TREADS (3 sides rock face & 1 long side saw cut)	48"x12"x1½"±
	60"x16"x1½"±
WALL CAP (4 sides rock face)	12"x24"x1¼"±
	14"x24"x2"±
*VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing ½"± under	

EASED EDGE (1 long side eased edge)

14"x24"x2"±



PAVER JUMBO PATTERN 1¼"± (4 sides saw cut)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



ROCK FACE JUMBO PATTERN 1¼"± (4 sides rock face)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±




BULLNOSE (1 long side bullnose)

12"x24"x1½"±
14"x24"x2"±



PAVER VERSAILLES PATTERN ¾"± (4 sides saw cut)

Also available in loose:
8"x8"x¾"
8"x16"x¾"
16"x16"x¾"
16"x24"x¾"



COLUMN CAP (4 sides rock face)

24"x24"x1¼"±
22"x22"x2"±
24"x24"x2"±
26"x26"x2"±



WALL CAP (4 sides rock face)

12"x24"x1¼"±
14"x24"x2"±



TREADS (3 sides rock face & 1 long side saw cut)

48"x12"x1½"±
60"x16"x1½"±



Lime Black shows nice blend of black & charcoal tones with non-tumbled finish. Depicting fewer ridges on the surface, it serves an ideal option for creating an innovative landscaping design idea.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

*Disclaimer : Lime black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x1¼"±
	22"x22"x2"±
	24"x24"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
	12"x12"x1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
	12"x12"x1¼"±
SLAB (4 sides rock face)	72"x36"x2"±
STEP (4 sides rock face)	48"x16"x6"±
TREADS (3 side rock face & 1 long side saw cut)	48"x12"x2"±
	60"x16"x2"±
	60"x20"x2"±
WALL CAP (4 sides rock face)	12"x24"x1¼"±
	14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



TREADS (3 sides rock face & 1 long side saw cut)

48"x12"x2"±, 60"x16"x2"±
60"x20"x2"±, 72"x18"x2"±



* Special order only.

PAVER JUMBO PATTERN 1¼"±

(4 sides saw cut)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



ROCK FACE JUMBO PATTERN 1¼"±

(4 sides rock face)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



COLUMN CAP (4 sides rock face)

24"x24"x1¼"±
22"x22"x2"±
24"x24"x2"±



WALL CAP (4 sides rock face)

12"x24"x1¼"±
14"x24"x2"±



EASED EDGE (1 long side eased edge)

14"x24"x2"±




SLAB (4 sides rock face)

72"x36"x2"±



STEP (4 sides rock face)

48"x16"x6"±



WINDOW SILL (1 long side rock face)

24"x3"x2"±



French Vanilla limestone comprises mainly pale shades of yellow with hints of grey and green undertones. This limestone brightens up the surrounding with a warm and welcoming environment. Additionally, light-colored stone complements a wide variety of designs & can easily incorporate bold colors into the design.

Finish : Natural finish, edges are saw-cut or chiseled depending on the product.

Color Variation : ★★★★★



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



TYPE	Size in Inches (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x1¼"± 24"x24"x2"±
FLAGSTONE Concrete Base	1"±
FLAGSTONE Sand Base	2"±
PAVER RANDOM PATTERN (4 sides saw cut)	12"x12"x1¼"± 12"x24"x1¼"± 24"x24"x1¼"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	12"x12"x1¼"± 12"x24"x1¼"± 24"x24"x1¼"± 24"x36"x1¼"±
SLAB (4 sides rock face)	60"x36"x2"±
STEP (4 sides rock face)	48"x16"x6"±
STEPPING STONE - HEART	15"x 18"x 1¼"±
TILE (4 sides saw cut)	16"x16"x¾"± 24"x24"x¾"±
TREAD (3 side Rock Face & 1 long side saw cut)	60"x16"x2"±
WALL CAP (4 sides Rock Face)	12"x24"x1¼"± 14"x24"x2"±

TREAD (3 side rock face & 1 long side saw cut)


60"x16"x2"±



PAVER RANDOM PATTERN 1¼"±

(4 sides saw cut)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±



COLUMN CAP (4 sides rock face)

24"x24"x1¼"±
24"x24"x2"±



STEPPING STONE - HEART

15"x 18"x 1¼"±



STEP (4 sides rock face)

48"x16"x6"±



ROCK FACE JUMBO PATTERN 1¼"±

(4 sides rock face)

12"x12"x1¼"±
12"x24"x1¼"±
24"x24"x1¼"±
24"x36"x1¼"±



WALL CAP (4 sides rock face)

12"x24"x1¼"±
14"x24"x2"±



SLAB (4 sides rock face)

60"x36"x2"±



TILE (4 sides saw cut)

16"x16"x¾"±
24"x24"x¾"±



SUI TRAVERTINE

Travertine is a form of limestone formed by the precipitation of carbonate mineral solution in ground and surface waters. Exposure to heat causes the evasion of Carbon dioxide from the alkaline solution leaving behind holes on the surface. This reduces the solubility of carbonate, making it precipitate.

Travertine has been used for centuries to build exquisite architectural marvels that are still standing to this day, the most famous Coliseum also known as the Flavian Amphitheatre in Rome. Its proven durability and lasting beauty have continued to prompt builders and homeowners to choose travertine tiles or pavers in modern building projects. Travertine is so versatile; it can be used in a number of places both inside and outside. While regular maintenance and care are required with travertine floors, these materials have the potential to last a long time. Travertine tiles are a great choice when it comes to floors and walls of kitchens, hallways, and bathrooms. The exterior elements like walkways, sidewalks, patio, swimming pool, and exterior walls, etc. can be built using travertine

Disclaimer :

Travertine is a porous stone and the surface will have visible pores. The pores are the inherent nature of the stone which adds a unique look to the stone and should not be considered as defects.



ANTIQUE IVORY SUI



Antique Ivory has a range of colors from cream to light beige gives a graceful look to your interiors and exteriors. This light color of travertine is widely used for around the pool coping, on wall claddings & floors .

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★☆☆☆☆

***Disclaimer :** Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .

PAVER VERSAILLES PATTERN 1 1/4" ± (4 sides saw cut)

Also available in loose:

16"x24"x1 1/4" ±



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x2" ±
	16"x24"x2" ±
EASED EDGE (1 long side eased edge)	12"x24"x2" ±
	16"x24"x2" ±
LEDGE STONE - PANEL	6"x24"x3/4" ±
LEDGE STONE - CORNER	6"x18"x6"x3/4" ±
PAVER	16"x24"x1 1/4" ±
PAVER VERSAILLES PATTERN (4 sides saw cut)	1 1/4" ±
*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing 1/4" ± under	

BULLNOSE (1 long side bullnose)

12"x24"x2" ±

16"x24"x2" ±



LEDGE STONE (Non-cement backing)

Corner - 6"x18"x6"x3/4" ±

Panel - 6"x24"x3/4" ±



EASED EDGE (1 long side eased edge)

12"x24"x2" ±

16"x24"x2" ±





A beautiful blend of silver, grey, and white adds a captivating factor to the conventional travertine. This neutral colored travertine blends well with other colors and provides a modern edge to both interior and exterior applications.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★

*Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .

PAVER VERSAILLES PATTERN 1¼" ± (4 sides saw cut)



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x2" ±
	16"x24"x2" ±
EASED EDGE (1 long side eased edge)	12"x24"x2" ±
	16"x24"x2" ±
LEDGE STONE - PANEL	6"x24"x¾" ±
LEDGE STONE - CORNER	6"x18"x6"x¾" ±
PAVER VERSAILLES PATTERN (4 sides saw cut)*	1¼" ±

*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing ½" ± under

BULLNOSE (1 long side bullnose)
12"x24"x2" ±
16"x24"x2" ±



EASED EDGE (1 long side eased edge)
12"x24"x2" ±
16"x24"x2" ±



LEDGE STONE
(Non-cement backing)

Corner - 6"x18"x6"x¾" ±

Panel - 6"x24"x¾" ±



LEDGE STONE
(Non-cement backing)

Corner - 6"x18"x6"x¾" ±



Panel - 6"x24"x¾" ±



Antique scabos travertine showcases a wide range of colors from cream, red, brown, and grey, etc. Every piece is unique and flaunts a bold look for your design project.

Finish : Tumbled finish, edges are saw-cut.
Color Variation : ★★★★★

*Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .

BULLNOSE (1 long side bullnose)
12"x24"x2" ±



TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x2" ±
LEDGE STONE - PANEL	6"x24"x¾" ±
LEDGE STONE - CORNER	6"x18"x6"x¾" ±



LEDGE STONE - PANEL/CORNER


GLUE BACKING $\frac{3}{4}$ " \pm



Ledge stone or stacked stone are stripes of natural stone arranged uniformly on a mesh to form a veneer. The ledge stone panels are "Z" shaped designed to interlock with one another.
Panel - 6"x24"x $\frac{3}{4}$ " \pm
Corner - 6"x18"x6"x $\frac{3}{4}$ " \pm



Antique Gris (Travertine)



Antique Ivory (Travertine)



Antique Scabos (Travertine)



Autumn Mist (Sandstone)



California Gold (Slate)



Floral White



Grey Mist (Sandstone)



Smoky Rust (Slate)



Classic Black (Slate)



Gold Quartz (Quartzite)



Silver Pearl (Slate Quartzite Mix)



Steel Quartz (Quartzite)

CEMENT BACKING 1 $\frac{1}{4}$ " \pm



Desert Gold (Quartzite Mix)



Sage Green (Quartzite)



Smoke Stack (Slate Mix)

*The packing of corners shown herein (L - Shaped) is for reference only. Actual packaging and delivery of material contains separate pieces because of safety measures.

Slabs are generally used for making kitchen countertops and outdoor bbqs where grout joints dwindle the overall appeal of the structure. All four sides are chiseled to exhibit the natural beauty of the stone.

Finish : 4 sides rock face

Autumn Mist
72"x36"x2"±



Basalt (4 sides saw cut)
72"x27"x2"±



Brown Mist
72"x36"x2"±



French Vanilla
60"x36"x2"±



Grey Mist
72"x36"x2"±



Lime Black
72"x36"x2"±



A window sill is the decorative covering around the window's edge that helps in draining the water to protect the window from water-based damages and also provides the aesthetic appeal to the place.

Finish : 1 long side rock face

Antique Black
24"x3"x2"±



Autumn Mist
24"x3"x2"±



Brown Mist
24"x3"x2"±



Grey Mist
24"x3"x2"±



Lime Black
24"x3"x2"±



Silver Pearl
24"x3"x2"±



Natural Stone Steps are the risers for places with elevation. Suitable for designing entryways, pool, backyard or front yard steps. Steps are extremely durable, the size of the stone makes it sturdy and reliable once it is installed.

Finish : 4 sides rock face



Autumn Mist
48"x16"x6"±



Basalt
(3 sides rock face & 1 long side saw cut)
48"x16"x6"±



Brown Mist
48"x16"x6"±



Dusty Wave
48"x16"x6"±



French Vanilla
48"x16"x6"±



Grey Mist
48"x16"x6"±



Indigo Bluestone
48"x16"x6"±



Lime Black
48"x16"x6"±

Flagstones are irregularly shaped stones used for paving patios, walkways & pool areas. Irregular shape of the individual pieces allow the designer to create innovative and intriguing designs for any surfaces.

1"± Concrete base
1¼ and 2"± Sand base



Antique Black - 1"± & 2"±



Antique Brown - 1"± & 2"±



Ebony Black- 1"± & 2"±



French Vanilla - 1"± & 2"±



Green Rustic - 1"± & 2"±



Antique Charcoal - 2"±



Antique Gold - 1"± & 2"±



Antique Rustic - 1"± & 2"±



Grey Mist- 1"± & 2"±



Indian Autumn - 1"±



Indian Bluestone - 1"± & 2"±



Autumn Mist - 1"± & 2"±



Basalt - 16"-30" x 1¼"±



Black Slate - 1"± & 2"±



Lime Black- 1"± & 2"±



Multi Classic - 1"± & 2"±



Ocean Green - 1"±



Brown Mist - 1"±



California Gold - 1"± & 2"±



Chocolate - 1"±



Panther- 1"± & 2"±



Silver Pearl - 1"± & 2"±



Slate Grey - 1"± & 2"±

Bullnose is a term used to define a smooth rounded edge in masonry. It is generally used as a perimeter of various designs and provides a safer environment. Natural stones bullnoses are used for pool coping, wall caps, stairways, firepits, etc. Available in a wide range of colors and texture, it provides an optimal solution to match or contrast according to your design requirements.

Finish : 1 long side bullnose



Antique Black
12"x24"x1½"±
14"x 24"x 2"±



Antique Brown
14"x 24"x 2"±



Antique Gris
12"x24"x2"±, 16"x24"x2"±



Antique Ivory
12"x24"x2"±, 16"x24"x2"±



Antique Scabos
12"x 24"x 2"±




Antique Walnut
12"x 24"x 2"±, 16"x 24"x 2"±



Basalt
14"x 24"x 2"±



California Gold
12"x24"x1½"±, 14"x24"x2"±



Grey Mist
12"x24"x1½"±, 14"x24"x2"±



Indian Bluestone
12"x24"x1½"±, 14"x24"x2"±




Vintage White
12"x24"x1½"±



Eased edge is a smooth straight edge finish that provides an alternative to the bullnose edge. It is used to provide a safer environment for pool coping, wall caps, stairways, firepits, etc.

Finish : 1 long side eased edge

Antique Black
14"x24"x2"±



Antique Brown
14"x24"x2"±



Antique Gris
12"x24"x2"±, 16"x24"x2"±



Antique Ivory
12"x24"x2"±, 16"x24"x2"±



Antique Yellow
14"x24"x2"±



Basalt
14"x24"x2"±



Grey Mist
14"x24"x2"±



Indian Bluestone
14"x24"x2"±



Lime Black
14"x24"x2"±



Tundra Grey
12"x24"x2"±, 16"x24"x2"±



Vintage White
14"x24"x2"±



SUI COLUMN CAP

Column caps are used to make a smooth transition for landscape walls serving as finishing touch for pillars, columns and mailboxes. Usually need to be larger than the dimensions of the column to allow overhang.

Finish : 4 sides rock face

Antique Brown

24"x 24"x 1 1/4", 24"x 24"x 2"±



Antique Buff

24"x 24"x 1 1/2"±



Antique Black

24"x 24"x 1 1/4", 22"x 22"x 2"±
24"x 24"x 2", 26"x 26"x 2", 29"x 29"x 2"±



Antique Yellow

24"x 24"x 1 1/4" ±



Autumn Mist

24"x 24"x 1 1/2"±
24"x 24"x 2", 29"x 29"x 2"±



Brown Mist

24"x 24"x 1 1/4"±



California Gold

24"x 24"x 2"±
29"x 29"x 2"±



Dusty Wave

24"x 24"x 1 1/4"±



French Vanilla

24"x 24"x 1 1/4" ±
24"x 24"x 2"±



Grey Mist

24"x 24"x 1 1/4", 22"x 22"x 2"±
24"x 24"x 2", 26"x 26"x 2", 29"x 29"x 2"±



Indian Bluestone

24"x 24"x 1 1/4", 22"x 22"x 2"±
24"x 24"x 2", 26"x 26"x 2"±



Lime Black

24"x 24"x 1 1/4", 22"x 22"x 2"±,
24"x 24"x 2" ±



Vintage White

24"x 24"x 1 1/4", 24"x 24"x 2"±



WALL CAP SUI

Natural stone wall caps provide the perfect finishing touch to a stone retaining wall, or boundary walls.

Finish : 4 sides rock face

Antique Black
12"x 24"x 1 1/4"±
16"x 24"x 2"±



Antique Brown

12"x 24"x 1 1/4"±
16"x 24"x 2"±



Antique Buff

12"x 24"x 1 1/2"±
16"x 24"x 2"±



Antique Yellow

12"x 24"x 1 1/4"±



Autumn Mist

12"x 24"x 1 1/2"±
14"x 24"x 2"±



Basalt

14"x 24"x 2"±



Brown Mist

12"x 24"x 1 1/4"±
14"x 24"x 2"±



California Gold

12"x 24"x 1 1/2"±



Dusty Wave

12"x 24"x 1 1/4"±



Ebony Black

14"x 24"x 2"±



French Vanilla

12"x 24"x 1 1/4"±
14"x 24"x 2"±



Grey Mist

12"x 24"x 1 1/4"±
14"x 24"x 2"±



Indian Bluestone

12"x 24"x 1 1/4"±
14"x 24"x 2"±



Lime Black

12"x 24"x 1 1/4"±
14"x 24"x 2"±



Vintage White

12"x 24"x 1 1/4"±
14"x 24"x 2"±



★ Special order only.



Natural stone thin veneer is a thin layer of stone used as decorative material that is not meant to be load-bearing. Thin veneer can be used in thin sections because of the shorter span between anchoring points. Multiple units like Column covers, reveal window frames, parapet sections, etc are more economically assembled over thin veneer while enhancing the beauty of the structure.
Available Thickness : Flat 1±", Corner 1±"



Autumn Mist - Ledge



Black Pearl - Ledge



Black Pearl - Antique Castle



Creekside Blend - Ledge



Grey Mist Blend - Ledge



Grey Mist Blend - Antique Castle



Grey Mist Blend - Ashlar



Mocha - Ledge



Silver Pearl - Antique Castle



Silver Pearl - Dimensional



Silver Pearl - Fieldstone



Silver Pearl - Ledge



Steel Quartz - Ashlar



Steel Quartz - Ledge



Tucson Farmhouse - Square Rectangular

THIN VENEER BRICKS

(7.5"x2.25"x½"±)



Antique Brown



Antique Buff



Red



Silver Pearl



Steel Quartz



STEPPING STONES

Stepping stones provide a pathway to navigate through your garden. The ease of installation coupled with creativity will provide an elegant look to any layout.

Antique Black (irregular)
15"-18"x1"-1 1/4"±



Antique Brown (irregular)
15"-18"x1"-1 1/4"±



Autumn Mist (irregular)
15"-18"x1"-1 1/4"±



Grey Mist (irregular)
15"-18"x1"-1 1/4"±



Antique Black (Heart)
15"x 18"x 1 1/4"±



Antique Brown (Heart)
15"x 18"x 1 1/4"±



French Vanilla (Heart)
15"x 18"x 1 1/4"±



Multi classic (Heart)
15"x 18"x 1 1/4"±



Antique Black (Round)
18"x 18"x 1 1/4"±



Antique Brown (Round)
18"x 18"x 1 1/4"±



Multi Classic (Round)
18"x 18"x 1 1/4"±



Multi Classic (Square)
18"x 18"x 1 1/4"±



PEBBLES

Pebbles are smooth rounded stones used for decorative purposes. Commonly used as ground cover, it is used externally to create multi-textured pathways or walkways, garden mulch and decorate drains.

Crystal White 1"-3"±



Polished Black 1"-3"±



Tiger Stripe 1"-3"±



COBBLESTONES

Cobblestones are cubical granite stones used to pave roads, driveways, walls & fireplace hearths. The durability & aesthetic appeal of the stone makes it an optimal choice for load-bearing areas like driveways.



Black Cobbles
3 1/2"x3 1/2"x2"±
8"x4"x2"±



Basalt Cobbles
3 1/2"x3 1/2"x2"±
3 1/2"x3 1/2"x3 1/2"±



Ebony Black Cobbles
3 1/2"x3 1/2"x2"±
3 1/2"x3 1/2"x3 1/2"±



Gold Cobbles
3 1/2"x3 1/2"x3 1/2"±
8"x4"x2"±



Grey Cobbles
3 1/2"x3 1/2"x3 1/2"±



DRIVEWAY PAVERS



Driveways are an important part of an entrance that adds to the attractiveness of curb. Natural stone driveway pavers can give an exquisite appearance to your driveway while providing the durability to withstand vehicular use.

Antique Black (4 side Rock Face)
6"x6"x1 1/2"±, 6"x9"x1 1/2"±, 8"x4"x2"±



Antique Black (4 side Saw Cut)
6"x6"x2"±, 6"x9"x2"±



Antique Brown (4 side Rock Face)
6"x6"x1 1/2"±, 6"x9"x1 1/2"±





ROCK FACE JUMBO PATTERN



Antique Black 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Antique Brown 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Grey Mist 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Indian Bluestone 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Antique Buff 1 1/2"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Autumn Mist 1 1/2"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Lime Black 1 1/4"±

(4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Slate Grey 7/8"±

(4 sides rock face)



Vintage White 1 1/4"±

(4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Basalt 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12"±
12" x 24"±
24" x 24"±
24" x 36"±



Buff 7/8"± (4 sides rock face)



ROCK FACE RANDOM PATTERN



Antique Yellow 1 1/4"± (4 sides rock face)

Sizes Available:

12" x 12", 12" x 24", 24" x 24"±



Brown Mist 1 1/4"± (4 sides rock face)

Sizes available:

12" x 12", 12" x 24", 24" x 24"±



Treads are long rectangular capstones used on stairs, front doorsteps, wall capping. The length of the tread can minimize the number of grout joints for a flawless design structure. Additionally, they can be used as mantels and hearths for fireplaces.

Finish: 3 sides rock face & 1 long side saw cut



Autumn Mist 60"x 16"x 2"±
72"x 18"x 2"±



Basalt (3 sides eased edge & 1 long side rock face)
48"x 12"x 2"±
60"x 16"x 2"±



Brown Mist 60"x 16"x 2"±



Ebony Black 48"x 12"x 2"±
60"x 16"x 2"±



French Vanilla 60"x 16"x 2"±



Grey Mist

48"x 12"x 2"±
60"x 16"x 2"±
60"x 20"x 2"±
72"x 18"x 2"±



Indian Bluestone 48"x 12"x 1½"±
60"x 16"x 1½"±




Indigo Bluestone 60"x 16"x 2"±



Lime Black 48"x 12"x 2"±
60"x 16"x 2"±
60"x 20"x 2"±
72"x 18"x 2"±


Antique Black (4 sides saw cut)
12"x 24"x ½"±



Black Slate (4 sides saw cut)
12"x 12"x ½"±, 12"x 24"x ½"±
16"x 16"x ½"±, 24"x 24"x ½"±




California Gold (4 sides saw cut)
12"x 12"x ½"±, 12"x 24"x ½"±
16"x 16"x ½"±, 24"x 24"x ½"±



French Vanilla (4 sides saw cut)
16"x 16"x ½"±, 24"x 24"x ½"±



Indian Autumn (4 sides saw cut)
12"x 12"x ½"±, 16"x 16"x ½"±



Multi Classic (4 sides saw cut)
12"x 12"x ½"±, 16"x 16"x ½"±
24"x 24"x ½"±




VERSAILLES PATTERN SUI

Antique Brown 1¼"± (4 sides saw cut)
Also available in loose:
16"x 24"x 1¼"±



Antique Gold 1"± (4 sides saw cut)



Antique Gris 1¼"± (4 sides saw cut)



Antique Ivory 1¼"± (4 sides saw cut)
Also available in loose:
16"x 24"x 1¼"±



Antique Rustic 1¼"± (4 sides saw cut)

Also available in loose:
8"x 8"
8"x 16"
16"x 16"
16"x 24"±




Antique Yellow 1¼"± (4 sides saw cut)

Also available in loose:
16"x 24"x 1¼"±



California Gold ½" & 1¼"± (4 sides saw cut)
Also available in loose:
8"x 8"x ½"
8"x 16"x ½"
16"x 16"x ½"
16"x 24"x ½"
16"x 24"x 1¼"±




Indian Bluestone ¾"± (4 sides saw cut)

Also available in loose:
8"x 8"
8"x 16"
16"x 16"
16"x 24"±



Tundra Grey 1¼"± (4 sides saw cut)



SUI PAVER JUMBO PATTERN




Antique Black 1 1/4"± (4 sides saw cut)

Sizes Available:




Autumn Mist 1 1/4"± (4 sides saw cut)

Sizes Available:




Grey Mist 1 1/4"± (4 sides saw cut)

Sizes Available:




Basalt 1 1/4"± (4 sides saw cut)

Sizes Available:



Ebony Black 1 1/4"± (4 sides saw cut)

Sizes Available:




Indian Bluestone 1 1/4"± (4 sides saw cut)

Sizes Available:



Lime Black 1 1/4"± (4 sides saw cut)

Sizes Available:




PAVER RANDOM PATTERN SUI

California Gold 1 1/4"± (4 sides saw cut)

Sizes Available:

12' x 12'±
12' x 24'±
24' x 24'±



French Vanilla 1 1/4"± (4 sides saw cut)

Sizes Available:

12' x 12'±
12' x 24'±
24' x 24'±



DISPLAY RACKS SUI





PACKING CHART



Description	Colors Available	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.)lbs
Bullnose 12"x24"x1 1/2"	ABL, CG, GM, IB, VW	LOOSE	LOOSE	150	75	2800
Bullnose 12"x24"x2"	AGS, AIV, ASC, AWA	LOOSE	LOOSE	80	40	2300
Bullnose 14"x24"x2"	ABL, ABR, BLT, CG, GM, IB	LOOSE	LOOSE	103	44	2800
Bullnose 16"x24"x2"	AGS, AIV, AWA	LOOSE	LOOSE	107	40	3000
Circle 12" Diameter	AM	-	-	113 approx.	49	1800
Cobblestone 3 1/2"x3 1/2"x3 1/2"	BL, BLT, EBL, GO, GRY	LOOSE	LOOSE	-	530	2200
Cobblestone 8"x4"x2"	BL, GO	LOOSE	LOOSE	-	270	2200
Cobblestone 3 1/2"x3 1/2"x2"	BLT, EBL	LOOSE	LOOSE	-	1410	2500
Column Cap 24"x24"x1 1/4"	ABL, ABR, AYE, BM, FV, GM, IB, LB, VW	LOOSE	LOOSE	112	28	2000
Column Cap 24"x24"x1 1/2"	ABF, AM	LOOSE	LOOSE	100	25	2000
Column Cap 22"x22"x2"	ABL, GM, IB, LB	LOOSE	LOOSE	67	20	1800
Column Cap 24"x24"x2"	ABL, ABR, AM, CG, FV, GM, IB, LB, VW	LOOSE	LOOSE	80	20	2000
Column Cap 26"x26"x2"	ABL, GM, IB	LOOSE	LOOSE	85	18	2500
Column Cap 29"x29"x2"	ABL, AM, CG, GM	LOOSE	LOOSE	105	18	2800
Driveway Pavers 6"x6"x1 1/2"	ABL, ABR	LOOSE	LOOSE	150	600	2800
Driveway Pavers 6"x9"x1 1/2"	ABL, ABR	LOOSE	LOOSE	150	400	2800
Driveway Pavers 6"x6"x2"	ABL	LOOSE	LOOSE	120	480	3200
Driveway Pavers 6"x9"x2"	ABL	LOOSE	LOOSE	120	320	3200
Driveway Pavers 8"x4"x2"	ABL	LOOSE	LOOSE	120	540	3000
Eased Edge 12"x24"x2"	AIV, AGS, TG	LOOSE	LOOSE	80	40	2800
Eased Edge 14"x24"x2"	ABL, ABR, AYE, BLT, GM, IB, LB, VW	LOOSE	LOOSE	103	44	2800
Eased Edge 16"x24"x2"	AIV, AGS, TG	LOOSE	LOOSE	107	40	3000
Flagstone Concrete Base 1"	ABL, ABR, AGO, ARU, AM, BL, BM, CG, CHO, EBL, FV, GM, GR, IA, IB, LB, MC, OG, PA, SP, SLG	LOOSE	LOOSE	coverage ~300 sq.ft /pallet	-	~3500-4500 /pallet
Flagstone Sand Base 2"	ABL, ABR, ACC, AGO, ARU, AM, BL, CG, EBL, FV, GM, GR, IB, LB, MC, PA, SP, SLG	LOOSE	LOOSE	coverage ~160 sq.ft /pallet	-	~3500-4500 /pallet
Flagstone 16"-30"x1 1/4"	BLT	LOOSE	LOOSE	-	-	2400
Ledge Stone Panel 6"x24"x1 1/2"	AGS, AIV, ASC	6	30	180	180	2200
Ledge Stone Corner 6"x18"x6"x1 1/2"	AGS, AIV, ASC	6	24	144	144	1800
Ledge Stone Panel 6"x24"x1 1/4"	AM, CG, CLB, FW, GM, GQU, SQ, SP, SR	5	36	180	180	2000
Ledge Stone Corner 6"x18"x6"x1 1/4"	AM, CG, CLB, FW, GM, GQU, SQ, SP, SR	6	24	144	144	1600
Ledge Stone Panel 6"x24"x1 1/4"	BLW	4	36	144	144	1800
Ledge Stone Corner 6"x18"x6"x1 1/4"	BLW	4	36	144	144	1800
Ledge Stone Panel 6"x24"x1 1/2"	DG, SG, SS	4	30	120	120	1900
Ledge Stone Corner 6"x18"x6"x1 1/2"	DG, SG, SS	2	50	100	100	1600
Paver 6"x6"x1 1/2"	AGO	LOOSE	LOOSE	216	864	2800
Paver 8"x8"x1 1/2"	GQU	LOOSE	LOOSE	128	288	1600
Paver 8"x8"x1 1/4"	ARU, ASC, CG	LOOSE	LOOSE	107	240	2000
Paver 8"x16"x1 1/4"	ARU, ASC, CG	LOOSE	LOOSE	107	120	2000
Paver 12"x12"x1 1/4"	ABL, AM, BLT, CG, EBL, FV, GM, IB, LB, PG	LOOSE	LOOSE	144	144	2500
Paver 12"x24"x1 1/4"	ABL, AM, BLT, CG, EBL, FV, GM, IB, LB	LOOSE	LOOSE	150	75	2600
Paver 16"x16"x1 1/4"	ARU, ASC, CG	LOOSE	LOOSE	107	60	2000
Paver 16"x24"x1 1/4"	ABR, AIV, ARU, ASC, AWA, AYE, CG	LOOSE	LOOSE	160	60	2800
Paver 24"x24"x1 1/4"	ABL, AM, BLT, CG, EBL, FV, GM, IB, LB	LOOSE	LOOSE	112	28	1900
Paver 24"x36"x1 1/4"	ABL, AM, BLT, EBL, GM, IB, LB	LOOSE	LOOSE	168	28	3000
Paver Versailles Pattern 1"	AGO	LOOSE	LOOSE	192	144	2700
Paver Versailles Pattern 1 1/2"	ABR, AGS, AIV, ARU, ASC, AWA, AYE, CG, TG	LOOSE	LOOSE	160	120	3000
Pebbles 1"-3"	CW, PB, TS	-	-	-	50 bags	1600(30lbs/bag)
Porcelain Bullnose 12"x24"x1 1/2"	AG, BW, IV, MB	LOOSE	LOOSE	240	120	2200
Porcelain Pavers 12"x24"x1 1/2"	PG, SGR	3	LOOSE	288	144	2700
Porcelain Pavers 24"x24"x1 1/2"	AG, AW, BW, IV, MB, PG, SGR	2	LOOSE	240	60	2200
Rock Face Jumbo Pattern 3/4"	BF, SLG	LOOSE	LOOSE	216	72	2500
Rock Face 12"x12"x1 1/4"	ABL, ABR, AYE, BM, BLT, FV, GM, IB, LB, VW	LOOSE	LOOSE	168	168	2800
Rock Face 12"x12"x1 1/2"	ABF, AM	LOOSE	LOOSE	150	150	2800
Rock Face 12"x24"x1 1/4"	ABL, ABR, AYE, BM, BLT, FV, GM, IB, LB, VW	LOOSE	LOOSE	168	84	2800
Rock Face 12"x24"x1 1/2"	ABF, AM	LOOSE	LOOSE	150	75	2800
Rock Face 24"x24"x1 1/4"	ABL, ABR, AYE, BM, BLT, FV, GM, IB, LB, VW	LOOSE	LOOSE	112	28	2000
Rock Face 24"x24"x1 1/2"	ABF, AM	LOOSE	LOOSE	100	25	2000
Rock Face 24"x36"x1 1/4"	ABL, ABR, BLT, FV, GM, IB, LB, VW	LOOSE	LOOSE	168	28	2800
Rock Face 24"x36"x1 1/2"	ABF, AM	LOOSE	LOOSE	150	25	2700

Description	Colors Available	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.)lbs
Slab 60"x36"x2"	FV	LOOSE	LOOSE	120	8	3300
Slab 72"x27"x2"	BLT	LOOSE	LOOSE	108	8	3000
Slab 72"x36"x2"	AM, BM, GM, LB, PG	LOOSE	LOOSE	144	8	4000
Stepping Stone Irregular 15"x18"x1 1/2"	ABL, ABR, AM, GM	LOOSE	LOOSE	-	60	1980
Stepping Stone Heart 15"x18"x1 1/2"	ABL, ABR, FV, MC	LOOSE	LOOSE	-	50	1650
Stepping Stone Round 18"x18"x1 1/4"	ABL, ABR, MC	LOOSE	LOOSE	-	50	1650
Stepping Stone Square 18"x18"x1 1/4"	MC	LOOSE	LOOSE	-	50	1650
Steps 48"x16"x6"	AM, BLT, BM, FV, GM, INB, LB	LOOSE	LOOSE	32	6	2800
Thin Veneer Flat 1"	AM, BP, CB, GMB, MO, SP, SQ, TF	LOOSE	LOOSE	200	-	2000
Thin Veneer Corner 1"	AM, BP, CB, GMB, MO, SP, SQ, TF	LOOSE	LOOSE	80 lft	-	1500
Thin Veneer Brick-Flat 7.5"x2.25"x6"	LOOSE	LOOSE	LOOSE	200	1700	1700
Thin Veneer Brick-Corner 3/4"	ABR, ABF, RD, SP, SQ	LOOSE	LOOSE	80 lft	-	1500
Tile 8"x8"x3/4"	IB	LOOSE	-	178	400	1850
Tile 8"x16"x3/4"	IB	LOOSE	-	178	200	1850
Tile 12"x12"x3/4"	BL, CG, IA, MC	10	42	420	420	2500
Tile 12"x24"x3/4"	BL, CG	LOOSE	LOOSE	400	200	2400
Tile 12"x24"x1 1/4"	ABL	LOOSE	LOOSE	264	132	2500
Tile 16"x16"x3/4"	FV, IB	LOOSE	LOOSE	178	100	1900
Tile 16"x16"x1 1/4"	BL, CG, IA, MC	7	20	249	140	1600
Tile 16"x24"x3/4"	IB	LOOSE	LOOSE	267	100	2500
Tile 24"x24"x3/4"	FV	LOOSE	LOOSE	176	44	1700
Tile 24"x24"x1 1/2"	BL, CG, MC	LOOSE	LOOSE	200	50	1500
Treads 48"x12"x1 1/2"	IB	LOOSE	LOOSE	72	18	1500
Treads 48"x12"x2"	BLT, EBL, GM, LB, PG	LOOSE	LOOSE	72	18	2000
Treads 60"x16"x1 1/2"	IB	LOOSE	LOOSE	120	18	2700
Treads 60"x16"x2"	AM, BLT, BM, EBL, FV, GM, INB, LB	LOOSE	LOOSE	120	18	3500
Treads 60"x20"x2"	GM, LB	LOOSE	LOOSE	150	18	3800
Treads 72"x18"x2"	AM, GM, LB	LOOSE	LOOSE	135	15	3700
Versailles Pattern 3/4"	CG	16sft/box	22	352	264	2100
Versailles Pattern 1"	IB	16sft/box	16	256	192	2500
Wall Cap 12"x24"x1 1/4"	ABL, ABR, AYE, BM, FV, GM, IB, LB, VW	LOOSE	LOOSE	168	84	2800
Wall Cap 12"x24"x1 1/2"	ABF, AM, CG	LOOSE	LOOSE	150	75	2800
Wall Cap 14"x24"x2"	AM, BLT, BM, EBL, FV, GM, IB, LB, VW	LOOSE	LOOSE	103	44	3000
Wall Cap 16"x24"x2"	ABL, ABR, ABF	LOOSE	LOOSE	107	40	3000
Window Sill 24"x3"x2"	ABL, AM, BM, GM, LB, SP	LOOSE	LOOSE	50	100	1450
Window Sill 36"x3"x2"	BM, FV	LOOSE	LOOSE	120	160	3000

ETHICS & SUSTAINABILITY POLICY STATEMENT

Imported natural stone are not only beautiful, it is a cost-effective choice for your dream project. When choosing an imported natural stone, it is important to choose a company that adheres to the Ethical Trading Initiative (ETI). Stone Universe cares deeply about this initiative and the ethical sourcing of all the material. Stone Universe Inc. has developed strict policies and guidelines to ensure that all our stone products are harvested and fabricated in environmentally sustainable ways, and that our stone is ethically produced.

We expect everyone we do business with — from our suppliers to retailers — to be responsible and proud of the safe working conditions provided by the Global Trade Initiative and Human Rights Standard.

NOTES