



Scan to Explore
Our E-catalogs



"Customers are the most important visitors on our premises. They are not dependent on us, we are dependent on them. They are not an interruption in our work, they are the purpose of it. They are not an outsider in our business, they are the part of it. We are not doing them the favor by serving them, they are doing us a favor by giving us the opportunity to do so."



STONE UNIVERSE INC. NATURAL STONE

www.suistone.com



East Catalog
Volume -25



Quality
Leader In
Natural
Stones





Committed to **YOU ALWAYS**

Serving the greater part of **The United States**

Craftsmanship. Legacy. Inspiration.

Our Catalogs Through The Years




Vol. 18-19



Vol. 20-21



Vol. 22



Vol. 23 -24



Vol. 25

Locations (United States)

Stone Universe
(Corporate Headquarters)
2333 Grant Avenue,
San Lorenzo, CA 94580

Stone Universe (Southwest)
12102 Centralia Street,
Hawaiian Gardens
CA 90716

Stone Universe (Northwest)
5315 Milwaukee,
Ave E, Puyallup
WA 98372

New Location

Stone Universe (East)
7521 Lake Drive, Rosedale
Baltimore, MD 21237

Stone Universe (South)
2800 N Alexander Dr,
Baytown, TX 77520

Stone Universe (Midwest-Chicago)
3905 W Albany St,
McHenry, IL 60050



Limestone quarry



Sandstone quarry



Basalt stone quarry



Slatestone quarry

ABOUT STONE UNIVERSE



Stone Universe Inc. is one of the biggest natural stone wholesalers in the United States. Our journey began in 1999 as a wholesale distributor of natural stones in Gilroy, California. Shortly began the expansion of natural stone products with a focus on hardscaping. Our motive is to fetch the people with a product range where quality speaks for itself & rates are highly affordable. We at Stone Universe Inc believe in continuous expansion and innovation of our product line.

We offer a wide range of products - pool coping, column caps, wall caps, pavers patterns, treads, driveway pavers, cobblestone, flagstone, ledge stones, slabs, Pebbles etc in different sizes and finish, which is ideal for indoor and outdoor applications for both residential and commercial applications.

With 6 distribution centres in North California, South California, Washington, Maryland, Texas & Chicago, we carry trend-setting range of Natural Stone from India, Vietnam & other various countries, Porcelain Paver from Spain and Travertine collection from Turkey.



Antique Black Paver Ashlar Pattern (Sealed)



Lime Black Slab

Why Natural Stones?

05

DISCLAIMER

05

NEW LAUNCH

06 - 08

NURSERY COLLECTION

09 - 10

BASALT

11 - 12

QUARTZITE

13 - 14

Antique Gold

14

SANDSTONE

15 - 34

Vintage White

17 - 18

Ebony Black

19 - 20

Grey Mist

21 - 23

Grey Mist Blend

23

Slate Grey

24

Buff

25 - 26

Autumn Mist

27 - 28

Autumn Brown

29 - 30

Rainbow

31 - 32

Teakwood

33

Dusty Wave

34

LIMESTONE

35 - 45

Antique Black

37 - 38

Indian Bluestone

39 - 40

Indigo Bluestone

41

Lime Black

42

French Vanilla

43

SLATE QUARTZITE MIX

44

Silver Pearl

44

SLATE

45 - 46



Steel Quartz Ledge



Crystal White & Polished Black Pebbles

California Gold

46

TRAVERTINE

47 - 48

Antique Ivory

48

PRODUCTS

49 - 67

Ledge - Panel/Corner

49 - 50

Bullnose

51

Eased Edge

51

Steps

52

Slab

53

Window Sill

54

Flagstone

54

Treads

55 - 56

Column Cap

57

Wall Cap

58

Thin Veneer

59 - 60

Bricks

61

Fountain

61

Firepit

62

Stepping Stone

63

Cobblestone

63

Pebbles

64

Paver Ashlar Pattern

65 - 66

Paver Jumbo Pattern

66

Paver Versailles Pattern

67

Rock Face Jumbo Pattern

67

MARKETING PRODUCTS

68

PACKING CHART

69 - 70



Why Natural Stones?



ENDURANCE



UNIQUENESS



EASE OF
MAINTENANCE



AGING



ECO-FRIENDLY

Disclaimer



Variations in color, texture, veining, cleffing, etc. is an aspect of natural stones & should not be considered as flaws. Natural Stones are composed of minerals which makes it susceptible to various chemicals & harsh environments. Exposure to elements like sun, rain, snow, etc. over a period of time can affect the look of natural stones. Some of the most common effects include oxidation (or rusting), flaking, weathering, etc. We strongly discourage the use of acidic cleansers and suggest seeking professional help if necessary. It is recommended to seal natural stones periodically to reduce environmental effects.

All our products have dimensional tolerances which are an industry standard. Further, we recommend using the standard installation process and sealers recommended by the American National Standards Institute (ANSI) for natural stones as the process vary from installer to installer. It is extremely significant to inspect the material before fabrication or installation as we do not take any liability once the product is altered or installed.

NATURAL STONE
DISCLAIMER

NEW LAUNCH



FLAGSTONE

Available in : 1.5"±



Antique Black



Antique Gold



Autumn Brown



Autumn Mist



Buff



Ebony Black



French Vanilla



Grey Mist



Indian Bluestone



Lime Black



Panther



Silver Pearl

Thin Veneer Ashlar

Available in :
2¼"±, 5"±, 7¾"±, (Length Free)



Antique Buff



Mica Rust



Vintage White



NEW LAUNCH

Black Granite



Black Granite is a timeless and classic natural stone, characterized by its deep black hue with subtle variations and occasional mineral flecks.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides rock face)	72"x36"x2"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x14"x2"±

*Paver Pattern Sizes Include 12"x12", 12"x24", 24"x24", 24"x36" Nominal Sizing 1/8"± under

COLUMN CAP

(4 sides rock face)
24"x24"x2"±



SLAB

(4 sides rock face)
72"x36"x2"±



PAVER PATTERN 1"±

(4 sides saw cut)
(Loose sizes available)

12"x12"±,
12"x24"±,
24"x24"±,
24"x36"±



TREADS

(3 sides eased edge & 1 long side rock face)

48"x12"x2"±
72"x14"x2"±



NEW LAUNCH

Grey Granite



This Grey Granite stone features a finely textured surface with a consistent blend of light and dark grey tones.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides rock face)	72"x36"x2"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x14"x2"±

*Paver Pattern Sizes Include 12"x12", 12"x24", 24"x24", 24"x36" Nominal Sizing 1/8"± under

COLUMN CAP

(4 sides rock face)
24"x24"x2"±



SLAB

(4 sides rock face)
72"x36"x2"±



PAVER PATTERN 1"±

(4 sides saw cut)
(Loose sizes available)

12"x12"±,
12"x24"±,
24"x24"±,
24"x36"±



TREADS

(3 sides eased edge & 1 long side rock face)

48"x12"x2"±
72"x14"x2"±





NURSERY COLLECTION



COBBLESTONES

Available in : $3\frac{1}{2}'' \times 3\frac{1}{2}'' \times 3\frac{1}{2}'' \pm$, $8'' \times 4'' \times 2'' \pm$, $9'' \times 5'' \times 5'' \pm$, $10'' \times 7'' \times 4'' \pm$



Black



Grey



Gold

FOUNTAIN

Available in : H-30"-48" Dia ($5'-8'' \pm$), H-30"-42" Dia ($8'-10'' \pm$)



NURSERY COLLECTION



PEBBLES

Available in : 1"- 3"±(Bag), 1"- 3"±(loose)



Crystal White



Polished Black



Mixed High Polished



Yellow High Polished



White High Polished



Midnight Riverstone

Disclaimer- Not recommended the use of any pebbles in conjunction with DYED mulches of any kind.

STEPPING STONE (IRREGULAR)

Available in : $24'' \times 30'' \times 1\frac{1}{4}'' \pm$



Antique Black



Autumn Brown



Autumn Mist



Grey Mist



BASALT

Basalt is an igneous, volcanic rock that is produced by hardened lava. Basalt is mafic, which means it contains minerals with significant iron and magnesium. Other minerals making up basalt include pyroxene, plagioclase feldspar, amphibole and olivine. Basalt historically was used in street pavers & stadium seating in ancient Rome. Today, basalt finds its use in several industrial applications, including building materials and thermal insulators. Additionally, they are used as wall panels, countertops and fireplaces among others due to high abrasion resistance & compressive strength. High tensile strength, vibration resistance and durability make it an ideal choice for hardscaping.



Scan this QR code
to Explore SUI
Basalt stone Collection



Basalt has a color range from charcoal grey to black. It is a metamorphic stone, very dense, and durable which makes good paving material. A flamed top, unique lightly textured surface offers a slip-resistant surface that complements a wide variety of applications.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
FLAGSTONE (sandbase)	16"-30"x1 1/4"±
FOUNTAIN	H-30"-48" Dia (5"-8")±
	H-30"-42" Dia (8"-10")±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
PAVER ASHLAR PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides saw cut)	72"x27"x2"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x12"x2"±


*Paver Ashlar Pattern Sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal Sizing 1/8"± under

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(Loose sizes available)

12"x12", 12"x24"±

24"x24"±



FOUNTAIN

H-30"-48" Dia (5"-8")±

H-30"-42" Dia (8"-10")±



FLAGSTONE (sandbase)

16"-30"x1 1/4"±



SLAB (4 sides saw cut)

72"x27"x2"±



TREADS (3 sides eased edge & 1 long side rock face)

48"x12"x2"±

72"x12"x2"±





QUARTZITE

Quartzite is a hard, non-foliated metamorphic rock formed with pure quartz sandstone. Sandstone is converted into quartzite due to heat and pressure of tectonic compression of the earth's crust. Pure quartzite is usually white to grey, though quartzite often occur in various shades of pink and red due to the presence of iron oxide in varying amounts. Mineral impurities change the color of stone to yellow, green, blue and orange etc. Quartzite is extremely durable and makes it suitable for use in most demanding applications. Quartzite is harder than granite & marble, it stands up better to abrasion in outdoor paving. The glossy surface and the color variation makes it a suitable choice for decorative and landscaping purposes. It is most commonly used in patios, garden pathways and lawn, backyard etc.



Scan this QR code
to Explore SUI
Quartzite Collection

ANTIQUE GOLD



Antique gold is a tumbled quartzite showcasing the blend of shimmering colors like gold, pink, brown, turquoise, etc. to form unique random patterns within the project while maintaining a comprehensive overall appearance. The high comprehensive strength of quartzite makes it suitable for a wide range of applications.

Finish: Tumbled finish, edges are saw-cut or smooth edges.

Color Variation: ★★★★★

TYPE	Size in Inches (Approx.)
PAVER VERSAILLES PATTERN (4 sides saw cut)*	1"±
FLAGSTONE (sand base)	1.5"±

*PAVER VERSAILLES PATTERN Sizes include 8"x8", 8"x16", 16"x16", 16"x24" Nominal sizing 1½"± under

FLAGSTONE

1.5"± (sand base)



PAVER VERSAILLES PATTERN 1"± (4 sides saw cut)

(Sold in 16 sq.ft increments)


16 sq.ft - Pattern includes


8"x8" (4 pieces)

8"x16" (2 pieces)

16"x16" (4 pieces)

16"x24" (2 pieces)





Scan this QR code
to Explore SUI
Sandstone Collection



Sandstone is one of the most common types of sedimentary rock and is made up of three components - sediment particles, matrix, and cement. The sediment particles are pieces of minerals and fragments of rock. Matrix is a fine material that is present between the sediment and cement is the secondary mineral that binds the sediment to rock. Sandstone displays a lot of character, depending on the mix of matrix and cement, it portrays a wide range of colors from white to black, with grey, brown, red, pink and buff in between. It is durable and versatile, which makes it an ideal choice for indoors and outdoors. Sandstone are used in indoor settings such as flooring, kitchen counters & back splashes. Because of its natural ability to regulate heat, sandstone makes for excellent paving, especially for pool sides. It's naturally non slip, stays cool under foot in the summer and radiates heat in winter. It can be used to build outdoor ovens, fireplaces, patios or porches, retaining walls and walkways.

Disclaimer:

The hardness of sandstone varies depending on the binding material (cement). If the sediment particles are cemented by calcite, the sandstone will seem softer. Acid wash restricted, Not recommended.





VINTAGE WHITE



TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/2"± 14"x24"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"± 12"x24"x1"± 24"x24"x1"± 24"x36"x1"±
PAVER (4 sides saw cut)*	12"x24"x1"± 24"x24"x1"± 24"x36"x1"±
STEPS (4 sides rock face)	48"x16"x6"±
SLAB (4 sides rock face)	72"x36"x2"±
THIN VENEER- ASHLAR (Flat & Corner)	2 1/4" ±, 5"±, 7 1/4"±, (Length Free)
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"± 72"x14"x2"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	12"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal Sizing 1/2"± under

BULLNOSE (1 long side bullnose)

12"x24"x1 1/2"±
14"x24"x2"±



Vintage White Natural Stone is a high-quality natural material characterized by its soft white hues and subtle textural variations. This stone is suitable for a wide range of architectural and landscaping applications, including facades, flooring, patios, and walkways. Its inherent strength ensures long-term performance in exterior environments.

Finish: Thermal finish edges are saw-cut or chiseled depending on the product.

Color Variation: ★★☆☆☆

COLUMN CAP (4 sides rock face)

24"x24"x2"±



EASED EDGE (1 long side eased edge)

14"x24"x2"±



STEPS (4 sides rock face)

48"x16"x6"±



THIN VENEER (Ashlar) 2 1/4"±, 5"±, 7 1/4"±, (Length Free)



WALL CAP (2 long sides rock face & 2 short side saw cut)

12"x24"x2"±



PAVER ASHLAR PATTERN 1"±


(4 sides saw cut)

(Loose size available)

12"x24"x1"±

24"x24"x1"±

24"x36"x1"±



SLAB (4 sides rock face)

72"x36"x2"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±

72"x14"x2"±



WINDOW SILL

(1 long side rock face)

24"x3"x2"±





EBONY BLACK



TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
	30"x30"x2"±
FLAGSTONE (Sand Base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x24"x1"±
SLAB (4 sides rock face)	72"x36"x2"±
	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
TREADS (3 sides saw cut & 1 long side rock face)	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
	72"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24", Nominal sizing 1/8"± under

Ebony Black sandstone displays medium to dark shades of grey and beige that can be used to create intriguing designs.

Finish: Natural finish, Edges are saw-cut, Chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★☆



PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(loose sizes available)
12"x12", 12"x24", 24"x24"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±
26"x26"x2"±
30"x30"x2"±



FLAGSTONE

1.5"± (Sand Base)



SLAB (4 sides rock face)

72"x36"x2"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2", 48"x14"x2", 72"x12"x2"±,
72"x14"x2", 72"x18"x2", 72"x24"x2"±





GREY MIST



LEDGE STONE (Non-Cement Backing)

Corner- 6"x18"x6"x3/4"±



Panel- 6"x24"x3/4"±



WINDOW SILL (1 long size rock face)

24"x3"x2"±



TYPE	Size in inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
EASED EDGE (1 long sides eased edge)	14"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
LEDGE STONE - PANEL	6"x24"x3/4"±
LEDGE STONE - CORNER	6"x18"x6"x3/4"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	24"x36"x1"±
	72"x36"x2"±
	48"x16"x6"±
	15-18"x11 1/4"±
	24"x30"x1 1/4"±
STEPPING STONE - IRREGULAR	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
TREADS (3 sides saw cut & 1 long side rock face)	72"x24"x2"±
	12"x24"x2"±
	14"x24"x2"±
	12"x24"x2"±
	24"x3"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	12"x24"x2"±
	14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2"± under

*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"

Grey mist features a pallet of mellow to dark greys combined with occasional splashes of rust. Rust spots are general characteristics of the stone. Fairly consistent grey sandstone can blend into a wide range of color schemes creating contemporary and modern designs.

Finish: Natural finish, edges are saw cut, bullnose, eased edge chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

*Disclaimer: Grey mist sandstone is rich in iron content, which over time has the potential to discolor because of oxidation (or rusting). Acid wash restricted. Not recommended.



PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(loose sizes available)

12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



ROCK FACE JUMBO PATTERN 7/8"±

(4 sides rock face)



FLAGSTONE

1.5"±

(sand base)



STEPS (4 sides rock face)

48"x16"x6"±



STEPPING STONE (Irregular)

15'-18"x1 1/4"±

24"x30"x1 1/4"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±

48"x14"x2"±

72"x12"x2"±

72"x14"x2"±

72"x18"x2"±

72"x24"x2"±



SLAB (4 sides rock face)

72"x36"x2"±





GREY MIST

BULLNOSE (1 long side bullnose)
12"x24"x1½"±



EASED EDGE (1 long side eased edge)
14"x24"x2"±



COLUMN CAP (4 sides rock face)
24"x24"x2"±



WALL CAP (2 long sides rock face & 2 short sides saw cut)
12"x24"x2"±
14"x24"x2"±



GREY MIST BLEND

THIN VENEER (Ledge) 1"±



THIN VENEER (Antique Castle) 1"±



THIN VENEER (Ashlar) 1"±



TYPE	Size in Inches (Approx.)
Thin Veneer - Ledge (Flat & Corner)	1"±
Thin Veneer - Ashlar (Flat & Corner)	1"±
Thin Veneer - Antique Castle (Flat & Corner)	1"±



Slate grey comprises light and dark grey variants. The beautiful color scheme of this natural stone easily blends with the entire landscaping design idea. It is often used to create a neutral, calming, and sophisticated appearance.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FIREPIT	Small- H-13", I-24", O-42"±
	Big- H-17", I-32", O-56"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	7/8"±
STEPS (4 sides rock face)	36"x16"x6"±
TREADS (3 Sides Saw Cut & 1 Long Side Rock Face)	48"x12"x2"± 72"x14"x2"±
WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)	14"x24"x2"±

*ROCK FACE JUMBO PATTERN sizes include 12"x12", 12"x24, 24"x24", 24"x36"

FIREPIT

Small- H-13"±, I-24"±, O-42"±
Big- H-17"±, I-32"±, O-56"±



SLATE GREY



COLUMN CAP (4 sides rock face)
24"x24"x2"±



WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)
14"x24"x2"±



STEPS (4 sides rock face)
36"x16"x6"±



TREADS
(3 Sides Saw Cut & 1 Long Side Rock Face)
48"x12"x2"±
72"x14"x2"±



ROCK FACE JUMBO PATTERN 7/8"±
(4 sides rock face)





TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FIREPIT	Small- H-13", L-24", O-42"± Big- H-17", L-32", O-56"±
FLAGSTONE	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	7/8"±
STEPS (4 sides rock face)	36"x16"x6"±
SLAB (4 sides rock face)	72"x36"x2"±
TREADS (3 Sides Saw Cut & 1 Long Side Rock Face)	48"x12"x2"± 72"x14"x2"±
WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)	14"x24"x2"±
*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18, 12"x24", 12"x30"± 18"x18" 18"x24", 18"x30", 24"x24, Nominal sizing 1/2"± under	
*ROCK FACE JUMBO PATTERN sizes include 12"x12", 12"x24, 24"x24", 24"x36"	

COLUMN CAP (4 sides rock face)
24"x24"x2"±



Buff shows dark variants of brown. It has a warm, earthy tone that is often used to create landscaping ideas. The neutral palette makes it a popular choice for outdoors that creates cozy and inviting spaces.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)
14"x24"x2"±




FIREPIT

Small- H-13"±, L-24"±, O-42"±
Big- H-17"±, L-32"±, O-56"±



PAVER ASHLAR PATTERN 1"±
(4 sides saw cut)



SLAB (4 sides rock face)
72"x36"x2"±



FLAGSTONE

1.5"± (Sandstone)



ROCK FACE JUMBO PATTERN 7/8"±
(4 sides rock face)



STEPS (4 sides rock face)
36"x16"x6"±



TREADS
(3 Sides Saw Cut & 1 Long Side Rock Face)

48"x12"x2"±
72"x14"x2"±





AUTUMN MIST

A beige-brown colored sandstone characterized by beautiful, unique fern-like fossil patterns, brown swirls throughout the surface.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

*Disclaimer: Autumn mist is not recommended for installation around or near pools, spas and hot tubs.



PAVER ASHLAR PATTERN 1"± (4 sides saw cut) (loose sizes available)

12"x12", 12"x24"±
18"x18", 18"x24"±
24"x24", 24"x36"±



LEDGE STONE

(Non-Cement Backing)

Corner - 6"x18"x6"x3/4"±

Panel - 6"x24"x3/4"±



TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FLAGSTONE (Sandbase)	26"x26"x2"±
LEDGE STONE-PANEL	1.5"±
LEDGE STONE-CORNER	6"x24"x3/4"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	24"x36"x1"±
	7/8"±
	72"x36"x2"±
	48"x16"x6"±
	15"-18"x1 1/4"±
STEPPING STONE - IRREGULAR	24"x30"x1 1/4"±
THIN VENEER LEDGE - (FLAT & CORNER)	1"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	72"x24"x2"±
	12"x24"x2"±
WINDOW SILL (1 long sides rock face)	14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/8" under

*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"

THIN VENEER (ledge) 1"±



STEPS (4 sides rock face)

48"x16"x6"±



SLAB (4 sides rock face)

72"x36"x2"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±
26"x26"x2"±



FLAGSTONE

1.5"± (Sand Base)



STEPPING STONE (Irregular)


15"-18"x1 1/4"±
24"x30"x1 1/4"±



WINDOW SILL

(1 long side rock face)

24"x3"x2"±



WALL CAP

(2 long sides rock face & 2 short sides saw cut)

12"x24"x2"±
14"x24"x2"±



ROCK FACE JUMBO PATTERN 7/8"±

(4 sides rock face)



TREADS

(3 sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±





AUTUMN BROWN



PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)
12"x24", 24"x24", 24"x36"±



Autumn brown sandstone is a simple blend of buff, light and dark browns. This earthy tone accompanied by the ability to blend in with other colors makes it a versatile option for paving and create stunning design patterns.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER (4 sides saw cut)	72"x36"x2"±
SLAB (4 sides rock face)	15"-18"x1 1/4"±
STEPPING STONE (Irregular)	24"x30"x1 1/4"±
	48"x12"x2"±
TREADS (3 sides saw cut & 1 long side rock face)	72"x12"x2"±
	72"x18"x2"±
	72"x24"x2"±
	14"x24"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/4"± under

STEPPING STONE (Irregular)

15"-18"x1 1/4"±
24"x30"x1 1/4"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±
26"x26"x2"±



WALL CAP (2 long sides rock face & 2 short sides saw cut)

14"x24"x2"±



EASED EDGE (1 long side eased edge)

14"x24"x2"±



SLAB (4 sides rock face)

72"x36"x2"±



FLAGSTONE

1.5"± (Sandbase)



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±





This beige sandstone displays a multi verse of dark brown and golden yellow rippled markings and veins throughout the surface. Every piece of stone has its own unique random pattern reminiscent of the surface of the wood. Its smooth, sawn wood-like finish gives a crisp and clean feel making it suitable for both internal and external purposes.

Finish : Sawn finish, Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★☆

***Disclaimer :** Rainbow sandstone is relatively porous sandstone, sealing the stone before installation is highly recommended.

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
SLAB (4 sides rock face)	72"x 36"x 2"±
STEPS (3 sides rock face & 1 long side saw cut)	48"x 16"x 6"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 long sides rock face & 2 Short sides saw cut)	12"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under



PAVER ASHLAR PATTERN1"±

(4 side saw cut)
(Loose sizes available)

12"x24", 18"x24"±
24"x24", 24"x36"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±



SLAB (4 sides rock face)

72"x36"x2"±



STEPS (3 sides rock face & 1 long side saw cut)

48"x16"x6"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



WALL CAP (2 long sides rock face & 2 short sides saw cut)

12"x24"x2"±





TEAKWOOD

TYPE	SIZE IN INCHES (Approx.)
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
SLAB (4 sides rock face)	72"x 36"x 2"±
STEPS (3 sides rock face & 1 long side saw cut)	48"x 16"x 6"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2"± under	



This beautiful and vibrant sandstone displays veins and patterns running through its orange-toned surface. It's smooth, sawn finish and distinctive appearance can make bold yet astonishing exteriors for your home.

Finish: Sawn finish, Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★☆

*Disclaimer : Teakwood sandstone is relatively porous sandstone, sealing the stone before installation is highly recommended.

PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(Loose sizes available)

12"x24", 18"x24"±
24"x24", 24"x36"±



STEPS (3 sides rock face & 1 long side saw cut)

48"x16"x6"±



SLAB (4 sides rock face)

72"x36"x2"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±



DUSTY WAVE



Dusty wave is a light cream, beige-colored sandstone invigorating with rippled marking suggestive of desert waves. The light sandstone with darker orange to brown waves can create a refreshing look for any surface.

Finish: Natural finish. Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★☆

PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)

12"x24", 24"x24"±



TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±



TYPE	SIZE IN INCHES (Approx.)
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	24"x24"x1"±
STEPS (4 Sides rock face)	48"x16"x6"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
* PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2"± under	



STEPS (4 Sides rock face)

48"x16"x6"±





Scan this QR code
to Explore SUI
Limestone Collection

LIMESTONE




Limestone is a sedimentary rock composed primarily of calcium carbonate in the form of the mineral called calcite. It can contain considerable amounts of magnesium carbonate along with clay, iron carbonate, feldspar, pyrite and quartz in small amounts.

Limestone is known as a heavy, hard-wearing stone with a lightly textured surface which makes it an excellent material for patios. It's a very dense and durable stone and its use in architecture can be traced back to the pyramids or Egypt. There are hundred types of limestone available in different colors, textures and varying degrees of permeability making it aesthetically versatile. Limestone are extremely versatile as you can use them in a vast range of outdoor areas including patios, pathways, courtyards, verandas, pool side and stepping stones. Some types are better suited for flat exterior surfaces than others. Furthermore, it has a naturally non-slip surface making it perfectly safe for areas that might get wet such as around pools, hot tubs and ponds.

Disclaimer:

Efflorescence is a white, chalky buildup of salt crystals that forms on limestone surfaces when water is present. It can make the stone look dull and less vibrant, creating the false impression that the stone's color is fading.





ANTIQUE BLACK



Antique Black consists of a blend of black and charcoal tones. The surface is tumbled to get a smooth, chalky antique look, which will dramatically change the ambience of your project.

Finish: Tumbled finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

**Disclaimer: Antique Black limestone contain mineral salts that can cause efflorescence over time, lightening the natural stone color.*

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/2"±
	14"x24"x2"±
	24"x24"x2"±
COLUMN CAP (4 sides rock face)	26"x26"x2"±
	30"x30"x2"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)*	7/8"±
STEPPING STONE (Irregular)	15"-18"x1 1/4"±
	24"x30"x1 1/4"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	12"x24"x2"±
	14"x24"x2"±
*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2"± under	
*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"	

BULLNOSE (1 long side bullnose)

12"x24"x1 1/2"±
14"x24"x2"±



STEPPING STONE (Irregular)


15"-18"x1 1/4"±
24"x30"x1 1/4"±



PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)

12"x12", 12"x24"±
18"x24", 24"x24"±
24"x36"±




FLAGSTONE

1.5"± (Sand base)



ROCK FACE JUMBO PATTERN 7/8"±

(4 sides rock face)



WALL CAP (2 long sides rock face & 2 short side saw cut)

12"x24"x2"±
14"x24"x2"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±
26"x26"x2"±
30"x30"x2"±





INDIAN BLUESTONE



Indian Bluestone comprises darker tones of blues and greys. Similar to other limestones, the surface is relatively smooth and flat with fewer ridges making it suitable for a variety of applications, including interiors and exteriors.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆


TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	48"x12"x1½"±
	48"x14"x1½"±
TREADS (3 sides saw cut & 1 long side rock face)	72"x12"x1½"±
	72"x14"x1½"±
	72"x18"x1½"±
	14"x24"x2"±
	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under



PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)
12"x12", 12"x24", 24"x24"±



BULLNOSE

(1 long side bullnose)
12"x24"x1½"±



COLUMN CAP (4 sides rock face)

24"x24"x2"±



WALL CAP

(2 long sides rock face & 2 short side saw cut)
14"x24"x2"±



FLAGSTONE

1.5"± (Sand Base)



TREADS

(3 sides saw cut & 1 long side rock face)

48"x12"x1½"±
48"x14"x1½"±
72"x12"x1½"±
72"x14"x1½"±
72"x18"x1½"±





INDIGO BLUESTONE



Indigo Bluestone comprises medium to darker tones of blues with a hint of similar to that of ocean side. This consistent color can beautifully blend along with the pool area giving it a sophisticated look while providing an anti-slip surface.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1 1/2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"± 26"x26"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"± 12"x24"x1"± 24"x24"x1"±
SLAB (4 sides rock face)	72"x36"x2"±
STEPS (4 sides rock face)	48"x16"x6"± 48"x12"x2"± 48"x14"x2"± 72"x12"x2"± 72"x14"x2"± 72"x18"x2"± 72"x24"x2"±
TREADS (3 sides saw cut & 1 long side rock face)	
WALL CAP (2 long sides rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/8"± under

BULLNOSE
(1 long side bullnose)
12"x24"x1 1/2"±



COLUMN CAP
(4 sides rock face)
24"x24"x2"±
26"x26"x2"±



WALL CAP
(2 long sides rock face & 2 short side saw cut)
14"x24"x2"±



STEPS (4 sides rock face)
48"x16"x6"±



PAVER ASHLAR PATTERN 1"±
(4 sides saw cut)
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±



SLAB (4 sides rock face)
72"x36"x2"±



TREADS
(3 sides saw cut & 1 long side rock face)
48"x12"x2", 48"x14"x2"±
72"x12"x2", 72"x14"x2"±
72"x18"x2", 72"x24"x2"±



LIME BLACK

Lime Black shows nice blend of black & charcoal tones with non-tumbled finish. Depicting fewer ridges on the surface, it serves an ideal option for creating an innovative landscaping design idea. A relatively consistent dark tone makes it optimal to provide contrast for the color and texture of other stone.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

Disclaimer: Lime Black limestone contain mineral salts that can cause efflorescence over time, lightening the natural stone color.


TYPE	SIZE IN INCHES (Approx.)
FLAGSTONE (Sand base)	1.5"±
SLAB (4 sides rock face)	72"x36"x2"± 84"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"± 48"x12"x2"± 48"x14"x2"± 72"x12"x2"± 72"x14"x2"± 72"x18"x2"± 72"x24"x2"±
WINDOW SILL (1 long Side rock face)	24"x3"x2"±



FLAGSTONE
1.5"± (Sand Base)




STEPS (4 Sides rock face)
48"x16"x6"±



WINDOW SILL
(1 long side rock face)
24"x3"x2"±



SLAB (4 sides rock face)
72"x36"x2"±
84"x36"x2"±



TREADS (3 sides saw cut & 1 long side rock face)
48"x12"x2", 48"x14"x2", 72"x12"x2"±
72"x14"x2", 72"x18"x2", 72"x24"x2"±





FRENCH VANILLA

French Vanilla limestone comprises mainly pale shades of yellow with hints of grey and green undertones. This limestone brightens up the surrounding with a warm and welcoming environment. Additionally, light-colored stone complements a wide variety of designs & can easily incorporate bold colors into the design.


Finish: Natural finish, edges are saw-cut or chiseled depending on the product.

Color Variation: ★★★★★

TYPE	SIZE IN INCHES (Approx.)
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
SLAB (4 sides rock face)	60"x36"x2"±
TREADS (3 sides saw cut & 1 long side rock face)	60"x14"x2"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal Sizing 1/2"± under

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)



SLAB (4 sides rock face) 60"x36"x2"±



FLAGSTONE

1.5"± (Sand base)



WALL CAP (2 long sides rock face & 2 short side saw cut) 14"x24"x2"±



TREADS (3 sides saw cut & 1 long side rock face) 60"x14"x2"±



Silver Pearl comprises dark variants of black to grey. This vibrant slate quartzite stone blends well with other colors to provide lavishing appeal outdoors.

Finish: Natural Finish, edges are chiseled or a mixture depending on the product.

Color Variation: ★★★★★

Type	Size in Inches (Approx.)
FLAGSTONE (Sand Base)	1.5"±
LEDGE STONE - PANEL	6"x24"x3/4"±
LEDGE STONE - CORNER	6"x18"x6"x3/4"±
THIN VENEER - Antique Castle (Flat & Corner)	1"±
THIN VENEER - Dimensional (Flat & Corner)	1"±
THIN VENEER - Fieldstone (Flat & Corner)	1"±
THIN VENEER - Ledge (Flat & Corner)	1"±
WINDOW SILL (1 long side rock face)	24"x3"x2"±

THIN VENEER (Ledge) 1"±



THIN VENEER (Dimensional) 1"±



WINDOW SILL

(1 long side rock face)
24"x3"x2"±



SILVER PEARL



SLATE QUARTZITE MIX

FLAGSTONE

1.5"± (sand base)



THIN VENEER (Antique Castle) 1"±



THIN VENEER (Fieldstone) 1"±



LEDGE STONE

(Non-Cement Backing)
Corner - 6"x18"x6"x3/4"±
Panel - 6"x24"x3/4"±






SLATE

Slate is a fine-grained, foliated, homogeneous metamorphic rock obtained from a sedimentary rock of type shale (composed of clay or volcanic ash) under relatively low pressure and temperature conditions. Foliation refers to repetitive layering in metamorphic rocks. Slate is characterized by fine foliation along which it breaks to leave smooth, flat surfaces. The color of a slate is determined by its mineral composition. Slates usually range from shades of light to dark grey in color. Slate is widely used for external flooring, and cladding. Slate floors are commonly laid in outdoor porches, basements, etc. The natural variation of slate allows homeowners to create unique, one-of-a-kind spaces.

Disclaimer:

Water can seep in between layers of slate. In freezing weather, the water expands as it freezes, causing the layers to crack and break over time. Since not all slates can withstand freezing and thawing, it's strongly recommended to seal the stone for better protection.



Scan this QR code
to Explore SUI
Slatestone Collection

CALIFORNIA GOLD



Type	Size in inches (Approx.)
Bullnose (1 long side bullnose)	12"x24"x1 1/2"±
LEDGE STONE - PANEL	6"x24"x3/4"±
LEDGE STONE - CORNER	6"x18"x6"x3/4"±
PAVER ASHLAR PATTERN (4 SIDES SAW CUT)*	1"±
*PAVER ASHLAR PATTERN Sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24"	
Nominal sizing 1/2"± under	

California gold is a tumbled slate that depicts a dynamic range of colors from gold, browns, greys etc. Which creates mesmerizing and stunning interior and exterior surfaces. The robust coloring makes room for inexhaustible design ideas.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color variation: ★★★★★

*Disclaimer: California gold is not recommended for installation around or near pool, spas and hot tubs.

Ledge Stone (Non-Cement Backing)



Corner - 6"x18"x6"x3/4"±

Panel - 6"x24"x3/4"±



Bullnose (1 long side bullnose) 12"x24"x1 1/2"±



PAVER ASHLAR PATTERN 1"± (4 SIDES SAW CUT)*






TRAVERTINE

Travertine is a form of limestone formed by the precipitation of carbonate mineral solution in ground and surface waters. Exposure to heat causes the evasion of carbon dioxide from the alkaline solution leaving behind holes on the surface. This reduces the solubility of carbonate, making it precipitate.

Travertine has been used for centuries to build exquisite architectural marvels that are still standing to this day, the most famous coliseum also known as the flavian amphitheatre in Rome. Its proven durability and lasting beauty have continued to prompt builders and homeowners to choose travertine tiles or pavers in modern building projects. Travertine is so versatile; it can be used in a number of places both inside and outside. While regular maintenance and care are required with travertine floors, these materials have the potential to last a long time. Travertine tiles are a great choice when it comes to floors and walls of kitchens, hallways and bathrooms. The exterior elements like walkways, sidewalks, patio, swimming pool and exterior walls etc. can be built using travertine.

Disclaimer: Travertine is a porous stone and the surface will have visible pores. The pores are the inherent nature of the stone which adds a unique look to the stone and should not be considered as defects.



Scan this QR code
to Explore SUI
Travertine Collection

ANTIQUE IVORY



PAVER VERSAILLES PATTERN 1 1/4"±

(4 sides saw cut)



BULLNOSE (1 long side bullnose)

12\"X24\"X2\"±
16\"X24\"X2\"±



Antique Ivory has a range of colors from cream to light beige that gives it a graceful look to your interiors and exteriors. This light color of travertine is widely used around the pool coping, on wall cladding & floors.

Finish: Tumbled finish, edges are saw-cut, bullnose or a mixture depending on the product.


Color Variation: ★★☆☆☆

***Disclaimer:** Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw climates.

TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12\"X24\"X2\"±
	16\"X24\"X2\"±
PAVER VERSAILLES PATTERN (4 sides saw cut)*	1 1/4\"±
*PAVER VERSAILLES PATTERN sizes include 8\"X8\", 8\"X16\", 16\"X16\", 16\"X24\" Nominal sizing 1/8\"± under	



LEDGE STONE - PANEL/CORNER



Ledgestone or staked stone are stripes of natural stone arranged uniformly on a mesh to form a veneer. The ledgestone panels are "Z" shaped designed to interlock with one another. It comes with matching "L" shaped corner pieces to provide a beautiful finish on the edges. Ledgestone is a versatile and aesthetically pleasing choice for various architectural and design applications. I.e.; retaining walls, Fireplaces, Pillars and columns, Kitchen backsplashes and rich color variations complement every decor style.

Panel - 6"x24"x3/4"±
Corner - 6"x18"x6"x3/4"±



Autumn Mist (Sandstone)

*The packing of corners shown herein (L-Shaped) is for reference only. Actual packaging and delivery of material contains separate pieces because of safety measures.



California Gold (Slate)



Classic Black (Slate)



Floral White (Marble)



Gold Quartz (Quartzite)



Grey Mist (Sandstone)



Silver Pearl (Slate Quartz Mix)



Smoky Rust (Slate)



Steel Quartz (Quartzite)



BULLNOSE



Antique Black

12"x24"x1 1/2"±
14"x24"x2"±



Antique Ivory

12"x24"x2"±,
16"x24"x2"±



California Gold

12"x24"x1 1/2"±



Grey Mist

12"x24"x1 1/2"±



Indian Bluestone

12"x24"x1 1/2"±



Indigo Bluestone

12"x24"x1 1/2"±



Bullnose refers to a smooth, rounded edge in masonry, enhancing safety and aesthetics. Commonly used for pool coping, wall caps, stairways, and firepits, natural stone bullnoses come in various colors and textures to complement any design.

Finish: 1 long side bullnose

Vintage White

12"x24"x1 1/2"±
14"x24"x2"±



EASED EDGE

Eased edge is a smooth straight edge finish that provides an alternative to the bullnose edge. It is used to provide a safer environment for pool coping, wall caps, stairways, firepits etc.

Finish: 1 long side eased edge.

Autumn Brown

14"x24"x2"±



Grey Mist

14"x24"x2"±



Vintage White

14"x24"x2"±



STEPS



Natural Stone Steps are the risers for places with elevation. Suitable for designing entryways, pool, backyard or front yard steps. Steps are extremely durable, the size of the stone makes it sturdy and reliable once it is installed.

Finish: 4 sides rock face



Autumn Mist

48"x16"x6"±



Buff

36"x16"x6"±




Dusty Wave

48"x16"x6"±



Grey Mist

48"x16"x6"±



Indigo Bluestone

48"x16"x6"±



Lime Black

48"x16"x6"±



Rainbow

(3 sides rock face & 1 long side saw cut)
48"x16"x6"±



Slate Grey

36"x16"x6"±



Teakwood

(3 sides rock face & 1 long side saw cut)
48"x16"x6"±



Vintage White

48"x16"x6"±



SLAB

Natural stone slabs are a popular choice for kitchen countertops, outdoor BBQs, or outdoor dining areas, offering a seamless and sophisticated appearance. They minimize grout lines, creating a cleaner and more refined look. Each slab is carefully chiseled on all four sides, enhancing the raw elegance and unique character of natural stone. Whether used indoors or outdoors, they add a touch of authenticity and lasting beauty to any space.

Finish: 4 sides rock face

Autumn Brown

72"x36"x2"±



Autumn Mist

72"x36"x2"±



Basalt (4 sides saw cut)

72"x27"x2"±



Black Granite (4 sides rock face)

72"x36"x2"±



Buff (4 sides rock face)

72"x36"x2"±



Ebony Black

72"x36"x2"±



French Vanilla

60"x36"x2"±



Grey Mist

72"x36"x2"±



Grey Granite

72"x36"x2"±



Indigo Bluestone

72"x36"x2"±



Lime Black

72"x36"x2"±
84"x36"x2"±



Rainbow

72"x36"x2"±



Teakwood

72"x36"x2"±




Vintage White

72"x36"x2"±



WINDOW SILL



A window sill is the decorative covering around the window's edge that helps in draining the water to protect the window from water-based damages and also provides the aesthetic appeal to the place.

Available in: 24"x3"x2"±

Finish: 1 long side rock face

Autumn Mist



Grey Mist



Lime Black



Silver Pearl



Vintage White



FLAGSTONE



Flagstones are irregularly shaped stones used for paving patios, walkways & pool areas. Irregular shape of the individual pieces allow the designer to create innovative and intriguing designs for any surfaces.

Available in: 1.5"± (Sandbase)



Antique Black
1.5"±



Antique Gold
1.5"±



Autumn Brown
1.5"±



Autumn Mist
1.5"±




Basalt
16"-30"x1 1/4"±



Buff
1.5"±



Ebony Black
1.5"±



French Vanilla
1.5"±



Grey Mist
1.5"±



Indian Bluestone
1.5"±



Lime Black
1.5"±



Panther
1.5"±



Silver Pearl
1.5"±



TREADS

Treads are long rectangular capstones used on stairs, front doorsteps, wall capping. The length of the tread can minimize the number of grout joints for a flawless design structure. Additionally, they can be used as mantels and hearths for fireplaces.

Finish: 3 sides saw cut & 1 long side rock face



**Autumn
Brown**

48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±



**Autumn
Mist**

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Basalt

(3 sides eased edge &
1 long side rock face)
48"x12"x2"±
72"x12"x2"±



Buff

48"x12"x2"±
72"x14"x2"±



**Black
Granite**

(3 sides eased edge &
1 long side rock face)
48"x12"x2"±
72"x14"x2"±



**Dusty
Wave**

48"x12"x2"±
48"x14"x2"±



**Ebony
Black**

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



**French
Vanilla**

60"x14"x2"±



Grey Mist

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



**Grey
Granite**

(3 sides eased edge &
1 long side rock face)
48"x12"x2"±
72"x14"x2"±



**Indigo
Bluestone**

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



**Indian
Bluestone**

48"x12"x1½"±
48"x14"x1½"±
72"x12"x1½"±
72"x14"x1½"±
72"x18"x1½"±



**Lime
Black**

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Rainbow

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



**Slate
Grey**

48"x12"x2"±
72"x14"x2"±



Teakwood

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±



**Vintage
White**

48"x12"x2"±
72"x14"x2"±



COLUMN CAP



Column caps are used to make a smooth transition for landscape walls serving as finishing touch for pillars, columns and mailboxes. Usually need to be larger than the dimensions of the column to allow overhang.

Finish: 4 sides rock face

Antique Black

24"x24"x2", 26"x26"x2"±,
30"x30"x2"±



Autumn Brown

24"x24"x2", 26"x26"x2"±



Autumn Mist

24"x24"x 2", 26"x26"x2"±



Buff

24"x24"x2"±



Black Granite

24"x24"x2"±



Ebony Black

24"x24"x 2", 26"x26"x2"±,
30"x30"x2"±



Grey Mist

24"x24"x2"±



Grey Granite

24"x24"x2"±



Indian Bluestone

24"x24"x2"±



Indigo Bluestone

24"x24"x2", 26"x26"x2"±



Rainbow

24"x24"x2"±



Slate Grey

24"x24"x2"±




Vintage White

24"x24"x2"±



WALL CAP



Natural stone wall caps provide the perfect finishing touch to a stone retaining wall, or boundary walls. Additionally, it helps in protecting the walls from damage and ingress of water. Chiseled edges provides a distinct finish for landscape designs.

Finish: 2 long sides rock face & 2 short sides saw cut.

Antique Black

12"x24"x2"±
14"x24"x2"±



Autumn Brown

14"x24"x2"±



Autumn Mist

12"x24"x2"±
14"x24"x2"±



Buff

14"x24"x2"±



French vanilla

14"x24"x2"±



Grey Mist

12"x24"x2"±
14"x24"x2"±



Indian Bluestone

14"x24"x2"±



Indigo Bluestone

14"x24"x2"±



Rainbow

12"x24"x2"±



Slate Grey

14"x24"x2"±



Vintage White

12"x24"x2"±





THIN VENEER



Natural stone thin veneer is a thin layer of stone used as decorative material that is not meant to be load-bearing. Thin veneer can be used in thin sections because of the shorter span between anchoring points. Multiple units like Column covers, reveal window frames, parapet sections, etc are more economically assembled over thin veneer while enhancing the beauty of the structure.

Available Thickness: Flat 1±", Corner 1±"



Antique Buff- Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)



Autumn Mist -Ledge



Black Pearl -Ledge



Black Pearl - Antique Castle



Grey Mist Blend - Ledge



Grey Mist Blend - Antique Castle



Grey Mist Blend - Ashlar



Mocha - Ledge



Mica Rust - Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)



Silver Pearl - Antique Castle



Silver Pearl - Dimensional



Silver Pearl - Fieldstone




Silver Pearl - Ledge



Steel Quartz - Ashlar



Steel Quartz - Ledge



Vintage White - Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)




BRICKS



Bricks are the type of natural stone designed to replicate the appearance of traditional bricks while offering the benefits of a thinner profile and lighter weight.

Flat 7.5"x2.25"x $\frac{5}{8}$ " \pm

Corner 7.5"x2.25"x $\frac{5}{8}$ " \pm



Red



Antique Brown



Antique Buff



Silver Pearl



Steel Quartz



BASALT FOUNTAIN



Basalt water feature is a distinctive, natural, and stunning addition to any landscape project. If you want an eye-catching fountain, basalt fountain will be a great choice. Basalt's durability and striking appearance indeed make it an excellent choice for stone fountains.

H: 30"-48" Dia (5"-8") \pm
H: 30"-42" Dia (8"-10") \pm



FIREPIT



Ready to install SUI's fire pit kit is an ideal choice for embracing your outdoor oasis. These are available in two different sizes and alluring color options. So, make your backyards, patio and garden surrounds appealing with installation of this durable and ready to install firepit kit.

SMALL SIZE - Height - 13" \pm , Inner size - 24" \pm , Outer size - 42" \pm

BIG SIZE - Height - 17" \pm , Inner size - 32" \pm , Outer size - 56" \pm

Slate Grey



Buff





STEPPING STONES



The stepping stone is medium-sized stone with different geometric shapes generally used to create a pathway. These landscaping stepping stones are available in various shapes with which one can create multiple landscape design ideas. Stepping stones provide a pathway to navigate through your garden. One of the main advantages of natural steppers are that they beautifully become an integral part of your garden without disturbing the existing elements.

Autumn Mist (Texas)
24"x1¼"± (Only For Texas)



Brown Mist (Texas)
24"x1¼"± (Only For Texas)



Grey Mist (Texas)
24"x1¼"± (Only For Texas)



Antique Black (irregular)

15"-18"x1¼"±
24"x 30"x1¼"±



Autumn Brown (irregular)

15"-18"x1¼"±
24"x 30"x1¼"±



Autumn Mist (irregular)

15"-18"x1¼"±
24"x 30"x1¼"±



Grey Mist (irregular)

15"-18"x1¼"±
24"x 30"x1¼"±



COBBLESTONES

Cobblestones are cubical granite stones used to pave roads, driveways, walls & fireplace hearths. The durability & aesthetic appeal of the stone makes it an optimal choice for load-bearing areas like driveways.

Black Cobbles

3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±



Gold Cobbles

3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±



Grey Cobbles

3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±



PEBBLES



Pebbles are smooth rounded stones used for decorative purposes. Commonly used as ground cover, it is used externally to create multi-textured pathways or walkways, garden mulch and decorate drains.

Available in :
1"-3"± (Bag) , 1"-3"± (loose)



Crystal White



Polished Black



Mixed High Polished



Yellow High Polished



White High Polished



Midnight Riverstone

Disclaimer- Not recommended the use of any pebbles in conjunction with DYED mulches of any kind.



PAVER ASHLAR PATTERN

Dimensional pavers are cut into ashlar pattern different sized squares and rectangles and arranged to form a pattern. The sawn edges give a clean finish to the design. The pattern comes in square and rectangular sizes to form an interlocking pattern in horizontal and vertical form. Individual sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24"

Finish: 4 sides saw cut



Antique Black 1"±

(loose sizes available)

12"x12"±
12"x24"±
18"x24"±
24"x24"±
24"x36"±



Autumn Brown 1"±

(loose sizes available)

12"x24"±
24"x24"±
24"x36"±



Autumn Mist 1"±

(Loose sizes available)

12"x12"±
12"x24"±
18"x18"±
18"x24"±
24"x24"±
24"x36"±



Basalt 1"±

(loose sizes available)

12"x12"±
12"x24"±
24"x24"±



Buff 1"±



California Gold 1"±



Dusty Wave 1"±

(loose sizes available)

12"x24"±
24"x24"±



Ebony Black 1"±

(loose sizes available)

12"x12"±
12"x24"±
24"x24"±



French Vanilla 1"±



Grey Mist 1"±

(loose sizes available)

12"x12"±
12"x24"±
18"x18"±
18"x24"±
24"x24"±
24"x36"±



Indian Bluestone 1"±

(loose sizes available)

12"x12"±
12"x24"±
24"x24"±



Indigo Bluestone 1"±

(loose sizes available)

12"x12"±
12"x24"±
24"x24"±



PAVER JUMBO PATTERN



Rainbow 1"±

(loose sizes available)

12"x24"±
18"x24"±
24"x24"±
24"x36"±



Teakwood 1"±

(loose sizes available)

12"x24"±
18"x24"±
24"x24"±
24"x36"±



Vintage White 1"±

(loose sizes available)

12"x24"±
24"x24"±
24"x36"±



Paver Jumbo Pattern offers a versatile combination of four quadrilateral paver sizes—12"x12", 12"x24", 24"x24", and 24"x36". Featuring saw-cut edges for a clean, refined finish. Pavers are flat, square, or rectangular pieces of natural stone popularly known as paving stones. Perfect for patios, walkways, courtyards, and pool decks etc. All these pavers are laid together in a particular pattern to cover the ground surface effectively.

Finish: 4 sides saw cut



Black Granite 1"±

(Loose sizes available)

12"x12", 12"x24"±
24"x24", 24"x36"±



Grey Granite 1"±


(Loose sizes available)

12"x12", 12"x24"±
24"x24", 24"x36"±





PAVER VERSAILLES PATTERN



The Versailles Pattern is a combination of multiple numbers of four different size pavers to form a pattern. A total of 12 pieces covering 16 sq.ft. comes with four pieces of each 8"x8" and 16"x16"; two pieces of each 8"x16" and 16"x24" to form a pattern.

Finish: 4 sides saw cut



Antique Ivory 1 1/4"±



Antique Gold 1"±



ROCK FACE JUMBO PATTERN

Rock face jumbo pattern comprises of four dimensions i.e., 12"x12", 12"x24", 24"x24", 24"x36".

Finish: 4 sides rock face



Antique Black 7/8"±



Autumn Mist 7/8"±



Buff 7/8"±



Grey Mist 7/8"±




Slate Grey 7/8"±

MARKETING PRODUCTS



We offer a diverse range of marketing materials to showcase our premium natural stone products. Our natural stone and nursery display racks highlight a variety of products, including pavers, ledge stones, steps, wall caps, bullnose, window sills, stepping stones, cobble stones, and pebbles etc. Our thin veneer and porcelain sample boards and natural stone sample boxes provide a detailed view of textures and finishes, making product selection seamless and enhancing the customer experience.




Natural Stone Display Racks



Nursery Display Racks



Sample Boards



Sample Box





PACKING CHART

Description	Colors Available	pcs/ box	boxes/ pallet	sq.ft./pallet (approx.)	pcs/ pallet	Weight/pallet (approx.) lbs
Bullnose 12"x24"x1 1/2"	ABL, CG, GM, IB, INB, VW	LOOSE	LOOSE	150	75	3250
Bullnose 12"x24"x2"	AIV	LOOSE	LOOSE	80	40	2100
Bullnose 14"x24"x2"	ABL, VW	LOOSE	LOOSE	103	44	2950
Bullnose 16"x24"x2"	AIV	LOOSE	LOOSE	107	40	2800
Cobblestone 3 1/2"x3 1/2"x3 1/2"	BL, GO, GRY	LOOSE	LOOSE	-	530	2500
Cobblestone 8"x4"x2"	BL, GO, GRY	LOOSE	LOOSE	-	270	2400
Cobblestone 9"x5"x5"	BL, GO, GRY	LOOSE	LOOSE	-	140	2800
Cobblestone 10"x7"x4"	BL, GO, GRY	LOOSE	LOOSE	-	90	2800
Column Cap 24"x24"x2"	ABL, AM, AUB, BF, BLG, EBL, GM, GRG, IB, INB, RB, SLG, VW	LOOSE	LOOSE	80	20	2350
Column Cap 26"x26"x2"	ABL, AM, AUB, EBL, INB	LOOSE	LOOSE	85	18	2450
Column Cap 30"x30"x2"	ABL, EBL	LOOSE	LOOSE	113	18	3150
Eased Edge 14"x24"x2"	AUB, GM, VW	LOOSE	LOOSE	103	44	2950
Flagstone 16"-30"x1 1/4"	BLT	LOOSE	LOOSE	-	-	2450
Flagstone 1.5"	ABL, AGO, AUB, AM, BF, EBL, FV, GM, IB, LB, PA, SP	LOOSE	LOOSE	Coverage 160 sqft/pallet	-	3500-4500
Fountain (H: 30"-48"± (5'-8"±))	BLT	LOOSE	LOOSE	80 H/Crate	-	30lbs/Inf
Fountain (H: 30"-42"± (8"-10"±))	BLT	LOOSE	LOOSE	40 H/Crate	-	60lbs/Inf
Firepit - Big 132"-O56"-H17"	BF, SLG	LOOSE	LOOSE	1 set	59	2100
Firepit - Small 124"-O42"-H13"	BF, SLG	LOOSE	LOOSE	1 set	30	1200
Ledge Stone Panel 6"x24"x1 1/4"	AM, CG, CLB, FW, GQU, GM, SQ, SP, SR	5	36	180	180	1600
Ledge Stone Corner 6"x18"x6"x1 1/4"	AM, CG, CLB, FW, GQU, GM, SQ, SP, SR	6	24	144	144	1300
Paver Ashlar Pattern 1"	ABL, AM, AUB, BF, BLT, CG, DW, EBL, FV, GM, INB, IB, RB, TW, VW	LOOSE	LOOSE	200	82	3000
Paver 12"x12"x1"	ABL, AM, BLT, BLG, EBL, GM, GRG, INB, IB	LOOSE	LOOSE	216	216	3200
Paver 12"x24"x1"	ABL, AM, AUB, BLT, BLG, DW, EBL, GM, GRG, INB, IB, RB, TW, VW	LOOSE	LOOSE	216	108	3200
Paver 18"x18"x1"	AM, GM	LOOSE	LOOSE	180	80	2450
Paver 18"x24"x1"	ABL, AM, GM, RB, TW	LOOSE	LOOSE	240	80	3250
Paver 24"x24"x1"	ABL, AM, AUB, BLT, BLG, DW, EBL, GM, GRG, INB, IB, RB, TW, VW	LOOSE	LOOSE	144	36	2200
Paver 24"x36"x1"	ABL, AM, AUB, BLG, GM, GRG, RB, TW, VW	LOOSE	LOOSE	216	36	2950
Paver Versailles Pattern 1"	AGO	LOOSE	LOOSE	192	144	2600
Paver Versailles Pattern 1 1/4"	AIV	LOOSE	LOOSE	160	120	2550
Pebbles 1"-3" (Bag)	CW, MHP, PB, YHP	-	-	-	50 bags	1600(30lbs/bag)
Pebbles 1"-3" (loose)	CW, MHP, PB, WHP, YHP, MRP	-	-	-	-	1 ton/pallet
Rock Face Jumbo Pattern 7/8"	ABL, AM, BF, GM, SLG	LOOSE	LOOSE	216	72	2650
Slab 60"x36"x2"	FV	LOOSE	LOOSE	120	8	3500
Slab 72"x27"x2"	BLT	LOOSE	LOOSE	108	8	3400
Slab 72"x36"x2"	AM, AUB, BLG, BF, EBL, GM, GRG, INB, LB, RB, TW, VW	LOOSE	LOOSE	144	8	4200
Slab 84"x36"x2"	LB	LOOSE	LOOSE	126	6	3750
Stepping Stone Irregular 15"x18"x1 1/4"	ABL, AUB, AM, GM	LOOSE	LOOSE	-	60	1850
Stepping Stone Irregular 24"x30"x1 1/4"	ABL, AUB, AM, GM	LOOSE	LOOSE	-	30	2250
Stepping Stone Texas 24"x1 1/4"	AM, BM, GM	LOOSE	LOOSE	-	40	1500
Steps 36"x16"x6"	BF, SLG	LOOSE	LOOSE	24	6	2100
Steps 48"x16"x6"	AM, DW, GM, INB, LB, RB, TW, VW	LOOSE	LOOSE	32	6	2850
Thin Veneer Flat 1"	AM, BF, GMB, MO, SP, SQ	LOOSE	LOOSE	200	-	2450
Thin Veneer Corner 1"	AM, BF, GMB, MO, SP, SQ	LOOSE	LOOSE	80 H	-	1250
Thin Veneer Brick-Flat 7.5"x2.25"x1 1/4"	ABR, ABF, RD, SP, SQ	LOOSE	LOOSE	200	1700	1550
Thin Veneer Brick-Corner 7.5"x2.25"x1 1/4"	ABR, ABF, RD, SP, SQ	LOOSE	LOOSE	80 H	-	650



Description	Colors Available	pcs/ box	boxes/ pallet	sq.ft./pallet (approx.)	pcs/ pallet	Weight/pallet (approx.) lbs
Thin Veneer - Ashlar - Flat 2 1/4", 5", 7 1/4" (Length Free)	ABF, MCR, VW	LOOSE	LOOSE	200	-	2650
Thin Veneer - Ashlar - Corner 2 1/4", 5", 7 1/4" (Length Free)	ABF, MCR, VW	LOOSE	LOOSE	80 H	-	1000
Treads 48"x12"x1 1/2"	IB	LOOSE	LOOSE	72	18	1550
Treads 48"x12"x2"	AM, AUB, BF, BLT, BLG, DW, EBL, GM, GRG, INB, LB, RB, SLG, TW, VW	LOOSE	LOOSE	72	18	2250
Treads 48"x14"x1 1/2"	IB	LOOSE	LOOSE	70	15	1650
Treads 48"x14"x2"	AM, DW, EBL, GM, INB, LB, RB, TW	LOOSE	LOOSE	70	15	2150
Treads 60"x14"x2"	FV	LOOSE	LOOSE	105	18	2550
Treads 72"x12"x1 1/2"	IB	LOOSE	LOOSE	90	15	2050
Treads 72"x12"x2"	AM, AUB, BLT, EBL, GM, INB, LB, RB, TW	LOOSE	LOOSE	90	15	2850
Treads 72"x14"x1 1/2"	IB	LOOSE	LOOSE	105	15	2300
Treads 72"x14"x2"	AM, BF, BLG, EBL, GM, GRG, INB, LB, RB, SLG, TW, VW	LOOSE	LOOSE	105	15	3100
Treads 72"x18"x1 1/2"	IB	LOOSE	LOOSE	135	15	2800
Treads 72"x18"x2"	AM, AUB, EBL, GM, INB, LB, RB, TW	LOOSE	LOOSE	135	15	3850
Treads 72"x24"x2"	AM, AUB, EBL, GM, INB, LB, RB	LOOSE	LOOSE	120	10	3500
Wall Cap 12"x24"x2"	ABL, AM, GM, RB, VW	LOOSE	LOOSE	120	60	3400
Wall Cap 14"x24"x2"	ABL, AM, AUB, BF, FV, GM, INB, IB, SLG	LOOSE	LOOSE	103	44	3000
Window Sill 24"x3"x2"	AM, GM, SP, LB, VW	LOOSE	LOOSE	50	100	1650

ETHICS & SUSTAINABILITY POLICY STATEMENT

Imported natural stone are not only beautiful, it is a cost-effective choice for your dream project. When choosing an imported natural stone, it is important to choose a company that adheres to the Ethical Trading Initiative (ETI). Stone Universe cares deeply about this initiative and the ethical sourcing of all the material. Stone Universe Inc. has developed strict policies and guidelines to ensure that all our stone products are harvested and fabricated in environmentally sustainable ways, and that our stone is ethically produced.

We expect everyone we do business with — from our suppliers to retailers — to be responsible and proud of the safe working conditions provided by the Global Trade Initiative and Human Rights Standard.

NOTES